



中国国家强制性产品认证证书

证书编号: 2020010907296377

委托人名称、地址

瑞玛企业有限公司

台湾新北市汐止区新台五路1段81号4楼之6

生产者(制造商)名称、地址

瑞玛企业有限公司

台湾新北市汐止区新台五路1段81号4楼之6

生产企业名称、地址

扬益电子(东莞)有限公司

广东省东莞市清溪镇婆岭商业街17号

产品名称和系列、规格、型号

电源适配器

见附件(适用于海拔2000米以下)

产品标准和技术要求

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求,
特发此证。

发证日期: 2020年05月21日有效期至: 2024年06月25日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2020010907296377

NAME AND ADDRESS OF THE APPLICANT

Franmar International Inc.
4F-6, No. 81, SEC 1, XINTAI 5TH RD. XIZHI DISTRICT, NEW TAIPEI CITY, TAIWAN, CHINA

NAME AND ADDRESS OF THE MANUFACTURER

Franmar International Inc.
4F-6, No. 81, SEC 1, XINTAI 5TH RD. XIZHI DISTRICT, NEW TAIPEI CITY, TAIWAN, CHINA

NAME AND ADDRESS OF THE FACTORY

Youngyear Electronics (Dongguan) Co., Ltd.
No. 17 Poling Commercial Street, Qingxi Town, Dongguan City, Guangdong Province, P.R. China.

PRODUCT NAME, MODEL AND SPECIFICATION

AC Adapter
See Appendix (Altitude to 2000m)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO. CNCA-C09-01:2014).

Valid from: May.21,2020 Valid until: Jun.25,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn
Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 4 页

证书编号: 2020010907296377

纸 号: 2587857

型号:

FRAuu-Svv-w (uu, vv, w 为变量, 详见系列型号差异描述)

FRMxx-Syy-z (xx, yy, z 为变量, 详见系列型号差异描述)

GExly (x, y 为变量, 详见系列型号差异描述)

1) FRAuu-Svv-w:

“uu”为 030E, 024, 018, 代表不同的输出功率;

“vv”为 03P, 05, 07, 09, 12, 12P, 15, 18, 24, 24P, 30, 36, 48, 代表不同的输出电压/电流。

当 uu 为 030E, vv 为 12, 15, 18, 24, 30, 36, 48;

当 uu 为 024, vv 为 05, 07, 09, 12, 15, 18, 24, 24P, 30, 36, 48;

当 uu 为 018, vv 为 03P, 05, 07, 09, 12, 12P, 15, 18, 24, 24P, 30, 36, 48。

“w”可以为 C, I, 或者 8, 表示不同的插头, C 为直插式固定插头, I 为直插式可替换插头, 8 表示桌面式 C8 类型的 AC 输入插座。

2) FRMxx-Syy-z:

“xx”为 030, 024, 015, 代表不同的输出功率;

“yy”为 05, 07, 09, 12, 15, 18, 24, 表示不同的输出电压/电流;

当 xx 为 030, yy 为 12, 15, 18, 24;

当 xx 为 024 or 015, yy 为 05, 07, 09, 12, 15, 18, 24

“z”可以为 C, I, 或者 8, 表示不同的插头, C 为直插式固定插头, I 为直插式可替换插头, 8 表示桌面式 C8 类型的 AC 输入插座。

3) GExly:

注: 此附录与证书同时使用时有效。



主 任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 2 页 共 4 页

证书编号: 2020010907296377

纸 号: 2587857

“x”为 18, 24, 30, 代表不同的输出功率;

“yy”为 05, 07, 09, 12, 15, 18, 24, 48, 表示不同的输出电压/电流;

当 xx 为 18 或 24, yy 为 05, 07, 09, 12, 15, 18, 24, 48;

当 xx 为 30, yy 为 12, 15, 18, 24。

型号列表:

型号(w 或 z= C 或 8)		直流输出		
		电压 (Vdc)	电流 (A)	功率 (W)
FRA030E-S12-w	FRM030-S12-z	11-13	2.73	30
FRA030E-S15-w	FRM030-S15-z	13-16	2.30	30
FRA030E-S18-w	FRM030-S18-z	16-21	1.87	30
FRA030E-S24-w	FRM030-S24-z	21-27	1.43	30
FRA030E-S30-w	--	27-33	1.11	30
FRA030E-S36-w	--	33-40	0.91	30
FRA030E-S48-w	--	40-50	0.75	30
FRA024-S05-w	FRM024-S05-z	5-6	3.0	15
FRA024-S07-w	FRM024-S07-z	6-8	2.5	15
FRA024-S09-w	FRM024-S09-z	8-11	2.5	20
FRA024-S12-w	FRM024-S12-z	11-13	2.2	24
FRA024-S15-w	FRM024-S15-z	13-16	1.85	24
FRA024-S18-w	FRM024-S18-z	16-21	1.5	24
FRA024-S24-w	FRM024-S24-z	21-27	1.15	24
FRA024-S24P-w	--	24	0.90	21.6
FRA024-S30-w	--	27-33	0.90	24
FRA024-S36-w	--	33-40	0.73	24

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 3 页 共 4 页

证书编号: 2020010907296377

纸 号: 2587857

FRA024-S48-w	--	40-50	0.60	24
FRA018-S03P-w	--	5	0.3	1.5
FRA018-S05-w	FRM015-S05-z	5-6	2.4	12
FRA018-S07-w	FRM015-S07-z	6-8	2.2	13
FRA018-S09-w	FRM015-S09-z	8-11	2.25	18
FRA018-S12-w	FRM015-S12-z	11-13	1.64	18
FRA018-S12P-w	--	12	0.5	6
FRA018-S15-w	FRM015-S15-z	13-16	1.39	18
FRA018-S18-w	FRM015-S18-z	16-21	1.13	18
FRA018-S24-w	FRM015-S24-z	21-27	0.86	18
FRA018-S24P-w	--	24	0.7	16.8
FRA018-S30-w	--	27-33	0.67	18
FRA018-S36-w	--	33-40	0.55	18
FRA018-S48-w	--	40-50	0.45	18

型号		直流输出	
		电压 (Vdc)	电流 (A)
FRA030-S12-I	GE30I12	12	2.5
FRA030-S15-I	GE30I15	15	2
FRA030-S18-I	GE30I18	18	1.66
FRA030-S24-I	GE30I24	24	1.25
FRA024-S05-I	GE24I05	5	3
FRA024-S07-I	GE24I07	7.5	2
FRA024-S09-I	GE24I09	9	2.22

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 4 页 共 4 页

证书编号: 2020010907296377

纸 号: 2587857

FRA024-S12-I	GE24I12	12	2
FRA024-S15-I	GE24I15	15	1.6
FRA024-S18-I	GE24I18	18	1.33
FRA024-S24-I	GE24I24	24	1
FRA024-S48-I	GE24I48	48	0.5
FRA018-S05-I	GE18I05	5	2.4
FRA018-S07-I	GE18I07	7.5	1.73
FRA018-S09-I	GE18I09	9	2
FRA018-S12-I	GE18I12	12	1.5
FRA018-S15-I	GE18I15	15	1.2
FRA018-S18-I	GE18I18	18	1
FRA018-S24-I	GE18I24	24	0.75
FRA018-S48-I	GE18I48	48	0.375

注: 此附录与证书同时使用时有效。



主 任:

陆梅



中国质量认证中心