

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE
CERTIFICAT D'ESSAI OC

Product
Produit

Independent Controlgear

Name and address of the applicant
Nom et adresse du demandeur

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248, Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248, Taiwan

Name and address of the factory
Nom et adresse de l'usine

☒ Additional Information page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240V; 50/60Hz; 4.0A;
for o/p ratings refer to test report pages 7;
ta = 50°C; tc = 90°C

Trade mark (if any)
Marque de fabrique (si elle existe)

MEAN WELL

Model/type Ref.
Ref. de type

HLG-240x-yz (x=H or blank to denote additional input rating
for US or no additional input ratings; y= 12,15,20,24,30,36,
42,48 or 54 to denote different output ratings; z= A, AB, or
blank to stand for different input/output connection type)

Additional information (if necessary may also be
reported on page 2)
Les Information complémentaire (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

- change of output cable/lead wire for models HLG-240x-yz
- add alternative sources of components and description of
technical data; for details see test report
- see also test report ref. no. 11038964 001-003

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

PUBLICATION **EDITION**
IEC 61347-1:2007+A1+A2
IEC 61347-2-13:2006
for national deviations see test report


As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue une partie de ce Certificat

11038964 004

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland LGA Products GmbH
Tillystraße 2 · 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web: www.tuv.com



Date: 21.04.2017

Signature:

Dipl.-Ing. F. Stöelzel

1. MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248
Taiwan
2. Suzhou MEAN WELL Technology
Co., Ltd. No. 77, Jian-min Road,
Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng Dist.
Suzhou, 215152 Jiangsu, China
3. MEAN WELL (GUANGZHOU) ELECTRONICS
CO., LTD HUADU BRANCH
No. 11 Jingu South Road
Huadong Town, Huadu District
Guangzhou, Guangdong, China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 21.04.2017

Signature:

Dipl.-Ing. F. Stölzel





Ref. Certif. No.

DE 2-018411-A1/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE
CERTIFICAT D'ESSAI OC

Product
Produit

Independent Controlgear

Name and address of the applicant
Nom et adresse du demandeur

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248, Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248, Taiwan

Name and address of the factory
Nom et adresse de l'usine

☒ Additional Information page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240V; 50/60Hz; 4.0A;
for o/p ratings refer to test report pages 7;
ta = 55°C; tc = 90°C

Trade mark (if any)
Marque de fabrique (si elle existe)

MEAN WELL

Model/type Ref.
Ref. de type

HLG-240x-yz (x=H or blank to denote additional input rating
for US or no additional input ratings; y = 12,15,20,24,30,36,
42,48 or 54 to denote different output ratings; z = A, AB, or
blank to stand for different input/output connection type)

Additional information (if necessary may also be
reported on page 2)
Les Information complémentaire (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

- delete and add new factory
- see also test report ref. no. 11038964 001-002

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue une partie de ce Certificat

11038964 003

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland LGA Products GmbH
Tillystraße 2 · 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web: www.tuv.com

F

Signature:

Dipl.-Ing. F. Stoezel



Date: 22.11.2016

1. MEAN WELL Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248
Taiwan

3. MEAN WELL (GUANGZHOU) ELECTRONICS
CO., LTD HUADU BRANCH
No. 11 Jingu South Road
Huadong Town, Huadu District
Guangzhou, Guangdong, China


2. Suzhou MEAN WELL Technology
Co., Ltd. No. 77, Jian-min Road,
Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng Dist.
Suzhou, 215152 Jiangsu, China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 22.11.2016

Signature:

Dipl.-Ing. F. Stöckel





Ref. Certif. No.

DE 2-018411-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE
CERTIFICAT D'ESSAI OC

Product
Produit

Independent Controlgear

Name and address of the applicant
Nom et adresse du demandeur

Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, Taiwan

Name and address of the factory
Nom et adresse de l'usine

☒ Additional Information page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240V; 50/60Hz; 4.0A;
for o/p ratings refer to test report pages 14;
ta = 55°C; tc = 90°C

Trade mark (if any)
Marque de fabrique (si elle existe)

MEAN WELL

Model/type Ref.
Ref. de type

HLG-240x-yz (x=H or blank to denote additional input rating
for US or no additional input ratings; y= 12,15,20,24,30,36,
42,48 or 54 to denote different output ratings; z= A, AB, or
blank to stand for different input/output connection type)

Additional information (if necessary may also be
reported on page 2)
Les Information complémentaire (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

- delete all marking plate
- add descriptions of general product information, and new
marking plates of models HLG-240x-yz with IP code
- see also test report ref. no. 11038964 001

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

PUBLICATION

EDITION

IEC 61347-1:2007+A1+A2
IEC 61347-2-13:2006
for national deviations see test report

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue une partie de ce Certificat

11038964 002

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland LGA Products GmbH
Tillystraße 2 · 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web: www.tuv.com

Signature:

Dipl.-Ing. F. Stöelzel



1. Mean Well Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City
Taiwan
3. SuZhou Mean Well Technology
Co., Ltd. No. 77, Jian-min Road,
Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng Dist.
Suzhou, 215152 Jiangsu, China


2. Mean Well (GUANGZHOU) Electronics
Co Ltd
2nd Floor, No. A Building,
Yuean Ind. Park, Dongpu Town,
TianHe Dist., Guangzhou, China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 18.12.2015

Signature:

Dipl.-Ing. F. Stöckel





Ref. Certif. No.

DE 2-018411

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OCCB TEST CERTIFICATE
CERTIFICAT D'ESSAI OCProduct
Produit

Independent Controlgear

Name and address of the applicant
Nom et adresse du demandeurMean Well Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, TaiwanName and address of the manufacturer
Nom et adresse du fabricantMean Well Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, TaiwanName and address of the factory
Nom et adresse de l'usine☒ Additional Information page 2Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} pageRatings and principal characteristics
Valeurs nominales et caractéristiques principalesAC 100-240V; 50/60Hz; 4.0A;
for o/p ratings refer to test report pages 33;
ta = 55°C; tc = 90°CTrade mark (if any)
Marque de fabrique (si elle existe)

MEAN WELL

Model/type Ref.
Ref. de typeHLG-240x-yz (x=H or blank to denote additional input rating
for US or no additional input ratings; y=12,15,20,24,30,36,
42,48 or 54 to denote different output ratings; z=A, B, or
blank to stand for different input/output connection type)Additional information (if necessary may also be
reported on page 2)
Les Information complémentaire (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)Models differ in model name, input and output ratings, the
diameter and turns of secondary winding of transformer;
the circuit diagram is similar with only the values of
components; for details refer to the test report.A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

PUBLICATION

EDITION

IEC 61347-1:2007+A1+A2
IEC 61347-2-13:2006
for national deviations see test reportAs shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue une partie de ce Certificat

11038964 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de CertificationTÜV Rheinland LGA Products GmbH
Tillystraße 2 · 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web: www.tuv.com

Date: 01.12.2014

Signature:

Dipl.-Ing. T. Stöckel



1. Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City
Taiwan
2. Mean Well (GUANGZHOU) Electronics
Co Ltd
2nd Floor, No. A Building,
Yuean Ind. Park, Dongpu Town,
TianHe Dist., Guangzhou, China
3. SuZhou Mean Well Technology
Co., Ltd. No. 77, Jian-min Road,
Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng Dist.
Suzhou, 215152 Jiangsu, China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 01.12.2014

Signature:

Dipl.-Ing. F. Stoelzel



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE
CERTIFICAT D'ESSAI OC

Product
Produit

LED Controlgear

Name and address of the applicant
Nom et adresse du demandeur

Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City, Taiwan

Name and address of the factory
Nom et adresse de l'usine

☒ Additional Information page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240V; 50/60Hz; 4.0A;
for o/p ratings refer to test report page 9;
ta = 50°C; tc = 90°C

Trade mark (if any)
Marque de fabrique (si elle existe)

MEAN WELL

Model/type Ref.
Ref. de type

HLG-240x-yC
(x = H or blank to denote additional input rating for US or
no additional input ratings; y = 12, 15, 20, 24, 30, 36, 42,
48 or 54 to denote different output ratings)

Additional information (if necessary may also be
reported on page 2)
Les Information complémentaire (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

Models differ in model name, output ratings, the diameter
and turns of secondary winding of transformer, and type and
type and ratings of components, for details refer to the
test report.

PUBLICATION

EDITION

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 61347-1:2007 + A1 + A2
IEC 61347-2-13:2006
for national deviations see test report

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue une partie de ce Certificat

11038967 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland LGA Products GmbH
Tillystraße 2 · 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web: www.tuv.com

Date: 23.12.2014

Signature:

Dipl.-Ing. F. Stöelzel




1. Mean Well Enterprises Co.,Ltd.
No. 28, Wuquan 3rd Rd.,
248 Wugu Dist., New Taipei City
Taiwan
3. SuZhou Mean Well Technology
Co., Ltd. No. 77, Jian-min Road,
Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng Dist.
Suzhou, 215152 Jiangsu, China

2. Mean Well (GUANGZHOU) Electronics
Co Ltd
2nd Floor, No. A Building,
Yuean Ind. Park, Dongpu Town,
TianHe Dist., Guangzhou, China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 23.12.2014

Signature:


Dipl.-Ing. F. Stoelzel

