




SPINA • BACKLIGHT LED PROFILE



SPINA
SERIES



SPINA BACKLIGHT LED PROFILE



Anodized-aluminum




2000mm
VR-40T-2M

DIFFUSER X2 REQUIRED

A slide A




white
2000mm
VR-SL10W-2M




END CAP

End Cap SPINA



silver ▶ VR-40T-EC

End thickness increases
the length of the profile



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW


LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW

LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series



60LEDs/m 14.4W/m 24V

RGB ▶ 5050-0602400SCX-RGB



MOUNTING

U Mounting Plate flexible U



OPTIONAL
MOUNTING:



VR-16MP4



Mounting with screws






X Connector X



OPTIONAL
CONNECTOR:






VR-18SJ3



Without profile With profile



SPINA BACKLIGHT LED PROFILE



A cover A slide in


lighting angle

applications


U mounting plate U flexible

mounting options

X mounting plate X



ORA • STEP LED PROFILE




ORA
SERIES



ORA STEP LED PROFILE


Anodized-aluminum





2000mm
VR-40S-2M

DIFFUSER


Click C



white 2000mm VR-CK13W-2M
transparent 2000mm VR-CK13T-2M




13,1
3,4




END CAP

End Cap ORA with hole



silver VR-40S-EC

End thickness increases the length of the profile



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW

LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW


LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series





60LEDs/m 14.4W/m 24V



RGB ▶ 5050-0602400SCX-RGB

MOUNTING


Mounting - profile




Lighting angle




Mounting - LED strip





Mounting - cover




Mounting - anti-slip insert





Without profile With profile



ORA STEP LED PROFILE



C cover C click/lens





lighting angle

mounting options




applications





C cover C click/lens




lighting angle




applications

mounting options



POLUS • OVAL / WARDROBE LED PROFILE




POLUS
SERIES



POLUS OVAL/ WARDROBE LED PROFILE


Anodized-aluminum



2000mm
VR-280-2M

DIFFUSER


B slide B



white 2000mm
VR-SL15W-2M

frosted 2000mm
VR-SL15F-2M

C click C






white 2000mm
VR-CK13W-2M

transparent 2000mm
VR-CK13T-2M

C lens C



transparent 2000mm
VR-LS13T-2M



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW


LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW


LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series



60LEDs/m 14.4W/m 24V

RGB ▶ 5050-0602400SCX-RGB



MOUNTING

Holder

OPTIONAL MOUNTING:





VR-280-EH






Holder




VR-280-EHM




Profile mounting





LED mounting-strip



Without profile With profile



POLUS OVAL/ WARDROBE LED PROFILE




B cover B slide in

lighting angle


applications

C cover C click/lens

mounting options



EXPO • DISPLAY APPLICATION LED PROFILE



EXPO
SERIES




EXPO DISPLAY APPLICATION LED PROFILE

Anodized-aluminum





2000mm
VR-13P-2M

DIFFUSER




2000mm
VR-CK9F-2M




END CAP

End Cap EXPO



silver ▶ VR-13P-EC

End thickness increases the length of the profile



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW


LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW

LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series



60LEDs/m 14.4W/m 24V



RGB ▶ 5050-0602400SCX-RGB

MOUNTING


Holder EXPO simple




VR-13P-SMH



End holder EXPO




VR-13P-MHE





Double holder PEN 100 with thread




VR-13P-MHS





Without profile With profile



EXPO DISPLAY APPLICATION LED PROFILE



I cover I click




lighting angle



mounting options



applications




FAVEO • SHELF LED PROFILE




FAVEO
SERIES



FAVEO SHELF LED PROFILE



Anodized-aluminum




2000mm
VR-80L-2M

DIFFUSER

Standard




2000mm
VR-SL50T-2M




END CAP

End Cap FAVEO



silver ▶ VR-80L-EC

End thickness increases the length of the profile



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW


LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW


LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series



60LEDs/m 14.4W/m 24V

RGB ▶ 5050-0602400SCX-RGB


MOUNTING

Holder EXPO




VR-80L-MH

OPTIONAL
MOUNTING:



ENDING
MOUNTING:



MOUNTING
LIGHT SOURCES:

