



中国国家强制性产品认证证书

证书编号: 2015011002768229

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,
安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I类, IP65, 不可调光, 适宜直
接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2019年08月02日 有效期至: 2024年08月02日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2015年04月28日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002768229

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current, SELV, ta:50°C, tc:75°C, Class I, IP65, Non-Dimmable, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.02,2019

Valid until: Aug.02,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.28,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2015011002768229

申请编号 Application No. : A2019CCC1002-3114195

申请人(委托人) Applicant: 明纬(广州)电子有限公司 / MEAN WELL (Guangzhou) Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2015011002768229

变更产品名称: LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒流模式, 安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I 类, IP65, 不可调光, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C)

Name of Product Modified: A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current, SELV, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, Class I, IP65, Non-Dimmable, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	增加/减少适用性一致的关键件供应商或关键件供应商名称变更	见原报告: 00501-CG2017-13588	见本次变更报告: 00501-CG2019-6021
2	EMC 标准换版	GB/T17743-2007	GB/T17743-2017

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2019 年 08 月 02 日

第 1 页 / 共 1 页



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2015011002768229

纸 号: 2386197

产品型号	参数
HBG-240-24A	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块
HBG-240-36A	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;
HBG-240-48A	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-60A	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015011002768230

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,部分型号控制端口调光/非控制端口调光,恒流模式,安全特低电压,ta:50°C,tc:75°C,I类,IP67,适宜直接安装在普通可燃材料表面,定温热保护:110°C)

见附件.100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

上述产品符合强制性产品认证实施规则CNCA-C10-01:2014的要求,特发此证。

发证日期:2019年08月15日 有效期至:2024年08月15日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期:2015年04月28日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002768230

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Controlled Port Dimming/Non-Controlled Port Dimming For Some Type, Constant Current Mode, SELV, ta:50°C, tc:75°C, Class I, IP67, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.15,2019

Valid until: Aug.15,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.28,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2015011002768230

纸 号: 2351395

序号	产品型号	参数	调光方式
1	HBG-240-24B	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块	外接电阻调光
2	HBG-240-36B	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;	外接电阻调光
3	HBG-240-48B	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;	外接电阻调光
4	HBG-240-60B	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;	外接电阻调光
5	HBG-240-24DA	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块	DA型调光方式
6	HBG-240-36DA	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;	DA型调光方式
7	HBG-240-48DA	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;	DA型调光方式
8	HBG-240-60DA	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;	DA型调光方式

备注:

1. 输入: 100-240V~, 50/60Hz, ta: 50°C, tc: 75°C, SELV, IP67,



2. DA 型调光方式: DALI 功能调光。调光范围 10%~100%

3. 以上型号在正常工作状态下, 实测输入功率均大于 25W。

注: 此附录与证书同时使用时有效。



主 任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2018011002094893

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 独立式, 非控制端口调光, 恒流模式, 安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I类, 适宜直接安装在普通可燃材料表面, IP20, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2019年08月06日 有效期至: 2023年07月23日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2018年07月23日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2018011002094893

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Non-Controlled Port Dimming, Constant Current, SELV, ta:50°C, tc:75°C, Class I, Suitable For Direct Mounting On Normally Flammable Material, IP20, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.06,2019

Valid until: Jul.23,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jul.23,2018

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论

Modification Approval

证书编号 Certificate No. : 2018011002094893

申请编号 Application No. : A2019CCC1002-3114245

申请人(委托人) Applicant: 明纬(广州)电子有限公司 / MEAN WELL (Guangzhou) Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2018011002094893

变更产品名称: LED 模块用交流电子控制装置(LED 控制装置, 独立式, 非控制端口调光, 恒流模式, 安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I 类, 适宜直接安装在普通可燃材料表面, IP20, 定温热保护: 110°C)

Name of Product Modified: A.C. Supplied Electronic Controlgear For LED Modules (Independent, Non-Controlled Port Dimming, Constant Current, SELV, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, Class I, Suitable For Direct Mounting On Normally Flammable Material, IP20, Temperature Declared Thermally Protected: 110°C)

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	增加/减少适用性一致的关键件供应商或关键件供应商名称变更	见原报告: 00501-CG2018-7380	见本次变更报告: 00501-CG2019-6024
2	调光方式变更	控制端口调光	非控制端口调光

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2019 年 08 月 06 日

第 1 页 / 共 1 页



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2018011002094893

纸 号: 2387349

序号	产品型号	参数
1	HBG-240-24AB	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块
2	HBG-240-36AB	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;
3	HBG-240-48AB	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;
4	HBG-240-60AB	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015011002768231

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,
安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I类, 适宜直接安装在普通可燃
材料表面, IP67, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2020年02月27日 有效期至: 2025年02月27日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2015年04月28日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询
经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002768231

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current, SELV, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, Class I, Suitable For Direct Mounting On Normally Flammable Material, IP67, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO.CNCA-C10-01:2014).

Valid from: Feb.27,2020

Valid until: Feb.27,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.28,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

<http://www.cqc.com.cn>

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666

Q 2550176



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2015011002768231

纸号: 2550176

序号	产品型号	参数
1	HBG-240-24	输出: Max. 25V d. c. , 10. 0A (恒流) 配套光源: Max. 240W LED 模块
2	HBG-240-36	输出: Max. 37V d. c. , 6. 7A (恒流) 配套光源: Max. 240W LED 模块;
3	HBG-240-48	输出: Max. 49V d. c. , 5. 0A (恒流), 配套光源: Max. 240W LED 模块;
4	HBG-240-60	输出: Max. 62V d. c. , 4. 0A (恒流), 配套光源: Max. 240W LED 模块;
输入: 100-240V~, 2. 5A, 50/60Hz		
备注: 以上型号在正常工作状态下, 实测输入功率均大于 25W。		

注: 此附录与证书同时使用时有效。



主任:

陆杨



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015011002782448

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,非控制端口调光,恒流模式,安全特低电压,ta:50°C,tc:75°C,I类,IP20,适宜直接安装在普通可燃材料表面,定温热保护:110°C)

见附件.100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-200

9

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2020年04月09日 有效期至: 2025年04月09日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期: 2015年06月30日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002782448

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent,
Non-Controlled Port Dimming, Constant Current Mode, SELV, ta:50°C, tc:75°C,
Class I, IP20, Suitable For Direct Mounting On Normally Flammable Material,
Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Apr.09,2020

Valid until: Apr.09,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by
issuing certification body until the expiry date.

Date of original issued: Jun.30,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn
Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2015011002782448

纸 号: 2577365

产品型号	参数
HBG-240-24B	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块
HBG-240-36B	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;
HBG-240-48B	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-60B	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-24DA	输出: Max. 25Vdc, 10.0A (恒流) 配套光源: Max. 240W LED 模块
HBG-240-36DA	输出: Max. 37Vdc, 6.7A (恒流) 配套光源: Max. 240W LED 模块;
HBG-240-48DA	输出: Max. 49Vdc, 5.0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-60DA	输出: Max. 62Vdc, 4.0A (恒流), 配套光源: Max. 240W LED 模块;

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2015011002782453

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,
安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 75^{\circ}\text{C}$, I类, IP20, 不可调光, 适宜直
接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2020年04月09日 有效期至: 2025年04月09日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2015年06月30日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C0015P



主任:

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015011002782453

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current, SELV, ta:50°C, tc:75°C, Class I, IP20, Non-Dimmable, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Apr.09,2020

Valid until: Apr.09,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jun.30,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn
Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2015011002782453

纸 号: 2577366

产品型号	参数
HBG-240-24	输出: Max. 25V d. c. , 10. 0A (恒流), 配套光源: Max. 240W LED 模块
HBG-240-36	输出: Max. 37V d. c. , 6. 7A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-48	输出: Max. 49V d. c. , 5. 0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-60	输出: Max. 62V d. c. , 4. 0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-24A	输出: Max. 25V d. c. , 10. 0A (恒流), 配套光源: Max. 240W LED 模块
HBG-240-36A	输出: Max. 37V d. c. , 6. 7A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-48A	输出: Max. 49V d. c. , 5. 0A (恒流), 配套光源: Max. 240W LED 模块;
HBG-240-60A	输出: Max. 62V d. c. , 4. 0A (恒流), 配套光源: Max. 240W LED 模块;

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心