



中国国家强制性产品认证证书

证书编号: 2014011002726972

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(独立式,恒压/恒流模式,安全特低电压, ta: 60°C, tc: 90°C, IP67, I类, F标记, 定温热保护: 110°C)

见附件: 100-240VAC, 50/60Hz.

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2015年01月14日

有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1060646



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002726972

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd.
B Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgears For LED Modules (Independent, Constant Voltage / Constant Current Mode, SELV, ta:60°C, tc:90°C, IP67, Class I, F Mark, Temperature Declared Thermally Protected: 110°C)

See Appendix; 100-240VAC, 50/60Hz.

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C10-01:2014).

Date of issue: Jan.14, 2015 Date of expiry: Oct.13, 2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.13, 2014

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1060646



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002726972

纸号: 1060646

产品型号	恒压输出		恒流输出	
	输出电压	输出电流	最大输出电压	输出电流
HLG-185H-12	12V	13A	12V	13A
HLG-185H-15	15V	11.5A	15V	11.5A
HLG-185H-20	20V	9.3A	20V	9.3A
HLG-185H-24	24V	7.8A	24V	7.8A
HLG-185H-30	30V	6.2A	30V	6.2A
HLG-185H-36	36V	5.2A	36V	5.2A
HLG-185H-42	42V	4.4A	42V	4.4A
HLG-185H-48	48V	3.9A	48V	3.9A
HLG-185H-54	54V	3.45A	54V	3.45A
HLG-150H-12	12V	12.5A	12V	12.5A
HLG-150H-15	15V	10A	15V	10A
HLG-150H-20	20V	7.5A	20V	7.5A
HLG-150H-24	24V	6.3A	24V	6.3A
HLG-150H-30	30V	5.0A	30V	5.0A
HLG-150H-36	36V	4.2A	36V	4.2A
HLG-150H-42	42V	3.6A	42V	3.6A
HLG-150H-48	48V	3.2A	48V	3.2A
HLG-150H-54	54V	2.8A	54V	2.8A

输入: 100-240VAC 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2015011002755391

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,内装式,恒压模式,
恒流模式,安全特低电压,ta:60°C,tc:90°C,定温热保
护:110°C)

见附件。100-240V~50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-
2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01:2014的要求,特发此证。

发证日期: 2015年02月16日

有效期至: 2020年02月16日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1037890



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2015011002755391

NAME AND ADDRESS OF THE APPLICANT

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE FACTORY

Mean Well (Guangzhou) Electronics Co., Ltd.
B Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Built-in,
Constant Voltage Mode, Constant Current Mode, SELV, ta:60°C, tc:90°C,
Temperature Declared Thermally Protected: 110°C)
See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the
requirements of implementation rules for compulsory certification(REF
NO. CNCA-C10-01:2014).

Date of issue: Feb.16,2015 Date of expiry: Feb.16,2020

Validity of this certificate is subject to positive result of the regular
follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1037890



中国国家强制性产品认证证书

附录:

第 1 页 共 2 页

证书编号: 2015011002755391

纸号: 1037890

型号	输入	恒压模式		恒流模式	
		输出电压 (V)	输出电流 (A)	最大输出电压 (V)	输出电流 (A)
HLG-185H-12A	100-240V AC, 1.8A 50/60Hz	12Vdc	13A	12Vdc	13A
HLG-185H-15A	100-240V AC, 2.1A 50/60Hz	15Vdc	11.5A	15Vdc	11.5A
HLG-185H-20A		20Vdc	9.3A	20Vdc	9.3A
HLG-185H-24A		24Vdc	7.8A	24Vdc	7.8A
HLG-185H-30A		30Vdc	6.2A	30Vdc	6.2A
HLG-185H-36A		36Vdc	5.2A	36Vdc	5.2A
HLG-185H-42A		42Vdc	4.4A	42Vdc	4.4A
HLG-185H-48A		48Vdc	3.9A	48Vdc	3.9A
HLG-185H-54A		54Vdc	3.45A	54Vdc	3.45A
HLG-150H-12A	100-240V AC, 1.7A 50/60Hz	12Vdc	12.5A	12Vdc	12.5A
HLG-150H-15A		15Vdc	10A	15Vdc	10A
HLG-150H-20A		20Vdc	7.5A	20Vdc	7.5A
HLG-150H-24A		24Vdc	6.3A	24Vdc	6.3A
HLG-150H-30A		30Vdc	5.0A	30Vdc	5.0A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 2 页 共 2 页

证书编号: 2015011002755391

纸号: 1037890

HLG-150H-36A		36Vdc	4.2A	36Vdc	4.2A
HLG-150H-42A		42Vdc	3.6A	42Vdc	3.6A
HLG-150H-48A		48Vdc	3.2A	48Vdc	3.2A
HLG-150H-54A		54Vdc	2.8A	54Vdc	2.8A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2015011002755390

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,内装式,恒压模式,恒流模式,安全特低电压,ta:60°C,tc:90°C,定温热保护:110°C)

见附件。100-240V~50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01:2014的要求,特发此证。

发证日期: 2015年02月16日

有效期至: 2020年02月16日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1037891



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2015011002755390

NAME AND ADDRESS OF THE APPLICANT

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE FACTORY

Mean Well (Guangzhou) Electronics Co., Ltd.
B Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Built-in,
Constant Voltage Mode, Constant Current Mode, SELV, ta:60°C, tc:90°C,
Temperature Declared Thermally Protected: 110°C)
See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the
requirements of implementation rules for compulsory certification(REF
NO. CNCA-C10-01:2014).

Date of issue: Feb.16, 2015 Date of expiry: Feb.16, 2020

Validity of this certificate is subject to positive result of the regular
follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1037891



中国国家强制性产品认证证书

附录:

第 1 页 共 2 页

证书编号: 2015011002755390

纸号: 1037891

型号	输入	恒压模式		恒流模式	
		输出电压 (V)	输出电流 (A)	最大输出电压 (V)	输出电流 (A)
HLG-185H-12	100-240V AC, 1.8A 50/60Hz	12Vdc	13A	12Vdc	13A
HLG-185H-15	100-240V AC, 2.1A 50/60Hz	15Vdc	11.5A	15Vdc	11.5A
HLG-185H-20		20Vdc	9.3A	20Vdc	9.3A
HLG-185H-24		24Vdc	7.8A	24Vdc	7.8A
HLG-185H-30		30Vdc	6.2A	30Vdc	6.2A
HLG-185H-36		36Vdc	5.2A	36Vdc	5.2A
HLG-185H-42		42Vdc	4.4A	42Vdc	4.4A
HLG-185H-48		48Vdc	3.9A	48Vdc	3.9A
HLG-185H-54		54Vdc	3.45A	54Vdc	3.45A
HLG-150H-12	100-240V AC, 1.7A 50/60Hz	12Vdc	12.5A	12Vdc	12.5A
HLG-150H-15		15Vdc	10A	15Vdc	10A
HLG-150H-20		20Vdc	7.5A	20Vdc	7.5A
HLG-150H-24		24Vdc	6.3A	24Vdc	6.3A
HLG-150H-30		30Vdc	5.0A	30Vdc	5.0A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 2 页 共 2 页

证书编号: 2015011002755390

纸号: 1037891

HLG-150H-36		36Vdc	4.2A	36Vdc	4.2A
HLG-150H-42		42Vdc	3.6A	42Vdc	3.6A
HLG-150H-48		48Vdc	3.2A	48Vdc	3.2A
HLG-150H-54		54Vdc	2.8A	54Vdc	2.8A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2014011002726973

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(独立式,恒压/恒流模式,安全特低电压, ta: 60°C, tc: 90°C, IP65, I类, F标记, 定温热保护: 110°C)

见附件, 100-240VAC 50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2015年01月14日 有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1060647



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002726973

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd.
B Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District,
Guangzhou, China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgears For LED Modules (Independent,
Constant Voltage / Constant Current Mode, SELV, ta:60°C, tc:90°C,
IP65, Class I, F Mark, Temperature Declared Thermally Protected:
110°C)

See Appendix. 100-240VAC 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the
requirements of implementation rules for compulsory certification(REF
NO. CNCA-C10-01:2014).

Date of issue: Jan.14,2015 Date of expiry: Oct.13,2019

Validity of this certificate is subject to positive result of the regular
follow up inspection by issuing certification body until the expiry date.

Date of original certification: Oct.13,2014

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1060647



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002726973

纸号: 1060647

产品型号	恒压输出		恒流输出	
	输出电压	输出电流	最大输出电压	输出电流
HLG-185H-12A	12V	13A	12V	13A
HLG-185H-15A	15V	11.5A	15V	11.5A
HLG-185H-20A	20V	9.3A	20V	9.3A
HLG-185H-24A	24V	7.8A	24V	7.8A
HLG-185H-30A	30V	6.2A	30V	6.2A
HLG-185H-36A	36V	5.2A	36V	5.2A
HLG-185H-42A	42V	4.4A	42V	4.4A
HLG-185H-48A	48V	3.9A	48V	3.9A
HLG-185H-54A	54V	3.45A	54V	3.45A
HLG-150H-12A	12V	12.5A	12V	12.5A
HLG-150H-15A	15V	10A	15V	10A
HLG-150H-20A	20V	7.5A	20V	7.5A
HLG-150H-24A	24V	6.3A	24V	6.3A
HLG-150H-30A	30V	5.0A	30V	5.0A
HLG-150H-36A	36V	4.2A	36V	4.2A
HLG-150H-42A	42V	3.6A	42V	3.6A
HLG-150H-48A	48V	3.2A	48V	3.2A
HLG-150H-54A	54V	2.8A	54V	2.8A

输入: 100-240VAC 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2015011002812809

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 独立式, 可调光, 恒流模式, 安全特低电压, ta: 60°C, tc: 90°C, I类, IP20, F标记, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2015年10月19日 有效期至: 2020年10月19日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1234095



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2015011002812809

NAME AND ADDRESS OF THE APPLICANT

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

Mean Well (Guangzhou) Electronics Co., Ltd.
B Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Dimmable, Constant Current Mode, SELV, ta:60°C, tc:90°C, Class I, IP20, F Mark, Temperature Declared Thermally Protected: 110°C)
See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C10-01:2014).

Date of issue: Oct. 19, 2015 Date of expiry: Oct. 19, 2020

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1234095



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2015011002812809

纸号: 1234095

HLG-185H-12B 输出: Max.14Vdc, 12Vdc, 13A;
HLG-185H-15B 输出: Max.18Vdc, 15Vdc, 11.5A;
HLG-185H-20B 输出: Max.23Vdc, 20Vdc, 9.3A;
HLG-185H-24B 输出: Max.27Vdc, 24Vdc, 7.8A;
HLG-185H-30B 输出: Max.34Vdc, 30Vdc, 6.2A;
HLG-185H-36B 输出: Max.40Vdc, 36Vdc, 5.2A;
HLG-185H-42B 输出: Max.47Vdc, 42Vdc, 4.4A;
HLG-185H-48B 输出: Max.50Vdc, 48Vdc, 3.9A;
HLG-150H-12B 输出: Max.14Vdc, 12Vdc, 12.5A;
HLG-150H-15B 输出: Max.18Vdc, 15Vdc, 10A;
HLG-150H-20B 输出: Max.23Vdc, 20Vdc, 7.5A;
HLG-150H-24B 输出: Max.27Vdc, 24Vdc, 6.3A;
HLG-150H-30B 输出: Max.34Vdc, 30Vdc, 5A;
HLG-150H-36B 输出: Max.40Vdc, 36Vdc, 4.2A;
HLG-150H-42B 输出: Max.47Vdc, 42Vdc, 3.6A;
HLG-150H-48B 输出: Max.50Vdc, 48Vdc, 3.2A。输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2015011002812809

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 独立式, 可调光, 恒流模式, 安全特低电压, ta: 60°C, tc: 90°C, I类, IP20, F标记, 定温热保护: 110°C)

见附件. 100-240V~ 50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2015年10月19日 有效期至: 2020年10月19日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1234095



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2015011002812809

NAME AND ADDRESS OF THE APPLICANT

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Mean Well (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

Mean Well (Guangzhou) Electronics Co., Ltd.
B Building, Yuan Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Dimmable, Constant Current Mode, SELV, ta:60°C, tc:90°C, Class I, IP20, F Mark, Temperature Declared Thermally Protected: 110°C)
See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C10-01:2014).

Date of issue: Oct. 19, 2015 Date of expiry: Oct. 19, 2020

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1234095



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2015011002812809

纸号: 1234095

HLG-185H-12B 输出: Max.14Vdc, 12Vdc, 13A;
HLG-185H-15B 输出: Max.18Vdc, 15Vdc, 11.5A;
HLG-185H-20B 输出: Max.23Vdc, 20Vdc, 9.3A;
HLG-185H-24B 输出: Max.27Vdc, 24Vdc, 7.8A;
HLG-185H-30B 输出: Max.34Vdc, 30Vdc, 6.2A;
HLG-185H-36B 输出: Max.40Vdc, 36Vdc, 5.2A;
HLG-185H-42B 输出: Max.47Vdc, 42Vdc, 4.4A;
HLG-185H-48B 输出: Max.50Vdc, 48Vdc, 3.9A;
HLG-150H-12B 输出: Max.14Vdc, 12Vdc, 12.5A;
HLG-150H-15B 输出: Max.18Vdc, 15Vdc, 10A;
HLG-150H-20B 输出: Max.23Vdc, 20Vdc, 7.5A;
HLG-150H-24B 输出: Max.27Vdc, 24Vdc, 6.3A;
HLG-150H-30B 输出: Max.34Vdc, 30Vdc, 5A;
HLG-150H-36B 输出: Max.40Vdc, 36Vdc, 4.2A;
HLG-150H-42B 输出: Max.47Vdc, 42Vdc, 3.6A;
HLG-150H-48B 输出: Max.50Vdc, 48Vdc, 3.2A。输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

证书编号: 2014011002727003

委托人名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 独立式, 恒流模式, 安全特低电压, ta: 60°C, tc: 90°C, I类, IP67, F标记, 定温热保护: 110°C, 可调光)

HLC-185H-54B 输出: Max. 60VDC, 3.45A; HLG-150H-54B 输出: Max. 60VDC, 2.8A;
HLC-150H-48B 输出: Max. 55VDC, 2.8A; HLG-150H-48BH 输出: Max. 55VDC, 3.2A。
输入: 100-240V~ 50/60Hz

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01: 2014的要求, 特发此证。

发证日期: 2014年10月13日 有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 1012915



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002727003

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd.
B Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, ta:60°C, tc:90°C, IP67, Class I, F Mark, Temperature Declared Thermally Protected: 110°C, Dimmable)
HLG-185H-54B Output: Max. 60VDC, 3.45A; HLG-150H-54B Output: Max. 60VDC, 2.8A; HLG-150H-48B Output: Max. 55VDC, 2.8A; HLG-150H-48BH Output: Max. 55VDC, 3.2A. Input: 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C10-01:2014).

Date of issue: Oct.13, 2014 Date of expiry: Oct.13, 2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1012915



中国国家强制性产品认证证书

证书编号: 2014011002726997

委托人名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园A栋2楼

生产企业名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园B栋

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 独立式, 恒流模式, 可调光, 安全特低电压, $t_a: 60^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, I类, IP67, F标记, 定温热保护: 110°C)

见附件: 100-240VAC, 50/60Hz.

产品标准和技术要求

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C10-01:2014的要求, 特发此证。

发证日期: 2014年10月13日 有效期至: 2019年10月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1011548



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2014011002726997

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd.
B Building, Yuean Industry Zone, Huangcun, Dongpu Town, Tianhe District, Guangzhou City, Guangdong Province, P.R.China

NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, Dimmable, SELV, ta:60°C, tc:90°C, IP67, Class I, F Mark, Temperature Declared Thermally Protected: 110°C)
See Appendix; 100-240VAC, 50/60Hz.

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009, GB19510.1-2009, GB17743-2007, GB17625.1-2012

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C10-01:2014).

Date of issue: Oct.13,2014 Date of expiry: Oct.13,2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1011548



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2014011002726997

纸号: 1011548

型号	输入	单端输出 (输出端 V 接负载, 控制端 DIM 接调光器)		
		最大输出电压	输出电流	输出额定电压
HLG-185H-12B	100-240VAC 1.8A 50/60Hz	14VDC	13A	12VDC
HLG-185H-15B	100-240VAC 2.1A 50/60Hz	18VDC	11.5A	15VDC
HLG-185H-20B		23VDC	9.3A	20VDC
HLG-185H-24B		27VDC	7.8A	24VDC
HLG-185H-30B		34VDC	6.2A	30VDC
HLG-185H-36B		40VDC	5.2A	36VDC
HLG-185H-42B		47VDC	4.4A	42VDC
HLG-185H-48B		50VDC	3.9A	48VDC
HLG-150H-12B	100-240VAC 1.7A 50/60Hz	14VDC	12.5A	12VDC
HLG-150H-15B		18VDC	10A	15VDC
HLG-150H-20B		23VDC	7.5A	20VDC
HLG-150H-24B		27VDC	6.3A	24VDC
HLG-150H-30B		34VDC	5A	30VDC
HLG-150H-36B		40VDC	4.2A	36VDC
HLG-150H-42B		47VDC	3.6A	42VDC
HLG-150H-48B		50VDC	3.2A	48VDC

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

