



VASTI • GLASS APPLICATION LED PROFILE




VASTI
SERIES




VASTI GLASS APPLICATION LED PROFILE

Anodized-aluminum



2000mm
VR-16U-2M




DIFFUSER

Slide J




white
2000mm
VR-SL12W-2M




END CAP

End Cap VASTI



grey ▶ VR-16U-EC

End thickness increases
the length of the profile



LED STRIP

LED Strip ECO+ Series



120LEDs/m 9.6W/m 24V

Cool White ▶ 3528-1202400SCX-CW
Natural White ▶ 3528-1202400SCX-NW
Warm White ▶ 3528-1202400SCX-WW


LED Strip ULTRA Series



120LEDs/m 14.4W/m 24V

Cool White ▶ 3014-1202400SCX-CW
Natural White ▶ 3014-1202400SCX-NW
Warm White ▶ 3014-1202400SCX-WW


LED Strip ULTRA+ Series



204LEDs/m 24.5W/m 24V

Cool White ▶ 3014-2042400SCX-CW
Natural White ▶ 3014-2042400SCX-NW
Warm White ▶ 3014-2042400SCX-WW

LED Strip RAINBOW+ Series





60LEDs/m 14.4W/m 24V


RGB ▶ 5050-0602400SCX-RGB

MOUNTING


Mounting LED strip




Placement glass in the profile*



Screw





Without profile With profile




*profile includes insert for mounting

VASTI GLASS APPLICATION LED PROFILE




lighting angle


mounting options




applications



VASTI GLASS APPLICATION LED PROFILE




 cover J slide in



lighting angle

mounting options



applications

