

# LED Profile System


0800 66 65 64

LIGHT.CO.NZ

# Linear LED Aluminium Profile System

Ideal for creating professional looking, spot free linear lighting effects











# EXLP02 - Linear Profile




## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |

## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXLP02 | ECLP02 | FBLP02 |




## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • | • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)




**ECLP02**
End Cap




**FBLP02**
Mounting Bracket

## Product Photos












1. EXLP02 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXLP02 with Mounting Bracket installed (back view)
3. EXLP02 with Mounting Bracket installed (front view)


## Installation Guide


**A** Mounting by fixing the mounting bracket then clip the extrusion onto the mounting bracket - *easiest*








**B** Mounting by drilling hole through the extrusion and fixing directly onto the wall - *most professional looking*







**C** Recessed Mounting by drilling hole through the extrusion and fixing directly onto the pre-made channel



# EXLP03 - Linear Profile




## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |

## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXLP03 | ECLP03 | FBLP03 |





## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • | • | • | • | • | • | • | • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)




**ECLP03**
End Cap




**FBLP03**
Mounting Bracket

## Product Photos












1. EXLP03 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXLP03 with Mounting Bracket installed (back view)
3. EXLP03 with Mounting Bracket installed (front view)


## Installation Guide


**A** Mounting by fixing the mounting bracket then clip the extrusion onto the mounting bracket - *easiest*








**B** Mounting by drilling hole through the extrusion and fixing directly onto the wall - *most professional looking*



**C** Recessed Mounting by drilling hole through the extrusion and fixing directly onto the pre-made channel




# EXLP04 - Linear Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXLP04 | ECLP04 | FBLP04 |




## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)




**ECLP04**
End Cap



**FBLP04**
Mounting Bracket

## Product Photos









1. ECLP04 with LED strip installed (*LED strip needs to be purchased seperately)
2. ECLP04 with Mounting Bracket installed (back view)


## Installation Guide


**A** Surface Mount - Fixing the mounting bracket then clip the extrusion onto the mounting bracket



**B** Recessed Mount - Fixing the mounting bracket then clip the extrusion onto the mounting bracket



# EXLP05 - Linear Profile




## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |

## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| **EXLP05** | **ECLP05** | - |




## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • | | | | | | | • |


• Non-waterproof Model • Waterproof Model


## End Cap & Mounting Bracket (Optional)



**ECLP05**
End Cap

## Product Photos









1. EXLP05 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXLP05 strip insert demonstration


## Installation Guide


**A** Surface Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall



**B** Recessed Mount - Fixing the mounting bracket then clip the extrusion onto the mounting bracket



# EXLP36 - Linear Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| **EXLP36** | **ECLP36** | - |





## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| 2x • | 2x • | 2x • | 2x • | 2x • | 2x • | 2x • | 2x • |
| 2x • | 2x • | 2x • | | | 2x • | 2x • | 2x • |

• Non-waterproof Model • Waterproof Model


## End Cap & Mounting Bracket (Optional)



**ECLP36**
End Cap

## Product Photos




1. EXLP36 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXLP36 back view

## Installation Guide

**A** Surface Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall






# EXLP48 - Linear Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| **EXLP48** | **ECLP48** | - |





## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| 4x • | 3x • | 3x • | 3x • | 3x • | 2x • | 3x • | 4x • |
| 2x • | 2x • | 2x • | | | 2x • | 2x • | 2x • |


• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)



**ECLP48**
End Cap

## Product Photos








1. EXLP48 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXLP48 back view

## Installation Guide

**A** Surface Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall



# EXCR01 - Corner Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXCR01 | ECCR01 | FBCR01 |




## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)





**ECCR01**
End Cap




**FBCR01**
Mounting Bracket

## Product Photos












1. EXCR01 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXCR01 with Mounting Bracket installed (back view)
3. EXCR01 with Mounting Bracket installed (front view)


## Installation Guide


**A** Mounting by fixing the mounting bracket then clip the extrusion onto the mounting bracket - *easiest*



**B** Mounting by drilling hole through the extrusion and fixing directly onto the wall - *most professional looking*



# EXCR02 - Corner Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXCR02 | ECCR02 | FBCR02 |





## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)




**ECCR02**
End Cap




**FBCR02**
Mounting Bracket

## Product Photos












1. EXCR02 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXCR02 with Mounting Bracket installed (back view)
3. EXCR02 with Mounting Bracket installed (front view)


## Installation Guide


**A** Mounting by fixing the mounting bracket then clip the extrusion onto the mounting bracket - *easiest*



**B** Mounting by drilling hole through the extrusion and fixing directly onto the wall - *most professional looking*



# EXCR03 - Corner Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXCR03 | ECCR03 | FBCR03 |




## Illumax Strip Compatibility


| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)




**ECCR03**
End Cap



**FBCR03**
Mounting Bracket

## Product Photos








1. EXCR03 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXCR03 with Mounting Bracket installed (back view)
3. EXCR03 with Mounting Bracket installed (front view)


## Installation Guide


**A** Mounting by fixing the mounting bracket then clip the extrusion onto the mounting bracket - *easiest*






**B** Mounting by drilling hole through the extrusion and fixing directly onto the wall - *most professional looking*



# EXRS01 - Recessed Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| EXRS01 | ECRS01 | - |




## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)



**ECRS01**
End Cap


## Product Photos



1. EXRS01 with LED strip installed (*LED strip needs to be purchased seperately)

## Installation Guide

**A** Recessed Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall



# EXRS03 - Recessed Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| **EXRS03** | **ECRS03** | - |




## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| • • | • • | • • | • | • | • • | • • | • • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)



**ECRS03**
End Cap


## Product Photos




1. EXRS03 with LED strip installed (*LED strip needs to be purchased seperately)

## Installation Guide

**A** Recessed Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall



# EXRS35 - Recessed Profile


## Specifications

| | |
|---|---|
| **Standard Length:** | 2m |
| **Body:** | Anodized Aluminium |
| **Diffuser:** | PC( Pmma Opal Matte ) |
| **End Cap:** | PC |
| **Mounting Bracket:** | PC |



## SKUs (Order Code)

| Extrusion | End Cap | Mounting Bracket |
|---|---|---|
| **EXRS35** | **ECRS35** | - |




## Illumax Strip Compatibility

| ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAINBOW | RAINBOW+ | COLOR |
|---|---|---|---|---|---|---|---|
| 2x • | 2x • | 2x • | 2x • | 2x • | 2x • | 2x • | 2x • |
| 2x • | 2x • | 2x • | | | 2x • | 2x • | 2x • |

• Non-waterproof Model • Waterproof Model

## End Cap & Mounting Bracket (Optional)



**ECRS35**
End Cap

## Product Photos








1. EXRS35 with LED strip installed (*LED strip needs to be purchased seperately)
2. EXRS35 with end cap on











## Installation Guide

**A** Recessed Mount - Mounting by drilling hole through the extrusion and fixing directly onto the wall








# Linear Profile

• Non-waterproof Model • Waterproof Model

| Photo | Diagram | SKU (Order Code) | | | ENVO LED Strips Compatibility | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Extrusion | End Cap | Fixing Bracket | ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAIN-BOW | RAIN-BOW+ | COLOR |
|  |  | **EXLP02** | **ECLP02** | **FBLP02** | • • | • • | • • | • | • | • | • • | • • |
|  |  | **EXLP03** | **ECLP03** | **FBLP03** | • | • | • | • | • | • | • | • |
|  |  | **EXLP04** | **ECLP04** | **FBLP04** | • • | • • | • • | • | • | • • | • • | • • |
|  |  | **EXLP05** | **ECLP05** | - | • | | | | | | | • |
|  |  | **EXLP36** | **ECLP36** | - | 2x •<br>2x • | 2x •<br>2x • | 2x •<br>2x • | 2x • | 2x • | 2x •<br>2x • | 2x •<br>2x • | 2x •<br>2x • |
|  |  | **EXLP48** | **ECLP48** | - | 4x •<br>2x • | 3x •<br>2x • | 3x •<br>2x • | 3x • | 3x • | 2x •<br>2x • | 3x •<br>2x • | 4x •<br>2x • |






# Corner Profile

• Non-waterproof Model • Waterproof Model

| Photo | Diagram | SKU (Order Code) | | | ENVO LED Strips Compatibility | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Extrusion | End Cap | Fixing Bracket | ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAIN-BOW | RAIN-BOW+ | COLOR |
|  |  | **EXCR01** | **ECCR01** | **FBCR01** | • • | • • | • • | • | • | • | • | • • |
|  |  | **EXLP02** | **ECCR02** | **FBCR02** | • • | • • | • • | • | • | • | • | • |
|  |  | **EXCR03** | **ECCR03** | **FBCR03** | • • | • • | • • | • | • | • • | • • | • • |

# Recessed Profile

• Non-waterproof Model • Waterproof Model

| Photo | Diagram | SKU (Order Code) | | | ENVO LED Strips Compatibility | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Extrusion | End Cap | Fixing Bracket | ECO | ECO+ | ULTRA | ULTRA+ | ULTIMATE | RAIN-BOW | RAIN-BOW+ | COLOR |
|  |  | **EXRS01** | **ECRS01** | - | • • | • • | • • | • | • | • | • | • • |
|  |  | **EXRS03** | **ECRS03** | - | • | • | • | • | • | • | • | • |
|  |  | **EXRS35** | **ECRS35** | - | 2x • 2x • | 2x • 2x • | 2x • 2x • | 2x • | 2x • | 2x • 2x • | 2x • 2x • | 2x • 2x • |