



中国国家强制性产品认证证书

证书编号: 2017011002987911

委托人名称、地址

明纬(广州)电子有限公司

广东省广州市天河区东圃镇黄村粤安工业园A栋二楼

生产者(制造商)名称、地址

明纬企业股份有限公司

248 新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司

广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,隔离式, $t_a: 55^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, II类, IP67, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C ,)

见附件。100-240V~50/60Hz

产品标准和技术要求

GB19510.14-2009; GB17625.1-2012; GB/T17743-2007; GB19510.1-200

9

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2017年08月08日 有效期至: 2022年08月08日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002987911

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (GUANGZHOU) ELECTRONICS CO.,LTD
2F,NO.A BUILDING YUEAN INDUSTRIAL PARK DONGPU TOWN TIANHE GUANGZHOU
CHINA

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL ENTERPRISES CO., LTD
No.28,Wuquan 3rd Road, Wugu Dist, New Taipei City 248, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China.

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, optional
Dimmable, Constant Current Mode, Isolating Controlgear, ta:55°C, tc:90°C,
Class II, IP67, Suitable For Direct Mounting On Normally Flammable Material,
thermal protection: 110°C)

See Appendix. 100-240V~50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009;GB17625.1-2012;GB/T17743-2007;GB19510.1-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.08,2017

Valid until: Aug.08,2022

The validity of the certificate is subject to positive result of the regular follow up
inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2017011002987911

纸 号: 1746591

产品型号	参数	备注
ELGT-150-C1050	输出 (当输入电压 100-200V ~ 时):	不调光
ELGT-150-C1050B	Max. 151Vdc, 72-100Vdc, 1.05A (恒流), 配	B 型调光
ELGT-150-C1050D2	套光源: 105W LED 模块, 输出 (当输入电压	D2 型调光
ELGT-150-C1050DA	200-240V ~ 时): Max. 151Vdc, 72-143Vdc,	DA 型调光
	1.05A (恒流), 配套光源: 150.15W LED 模块	
ELGT-150-C700	输出 (当输入电压 100-200V ~ 时):	不调光
ELGT-150-C700B	Max. 225Vdc, 107-150Vdc, 0.7A (恒流), 配	B 型调光
ELGT-150-C700D2	套光源: 105W LED 模块, 输出 (当输入电压	D2 型调光
ELGT-150-C700DA	200-240V ~ 时): Max. 225Vdc, 107-214Vdc,	DA 型调光
	0.7A (恒流), 配套光源: 149.8W LED 模块	

输入: 100-240V ~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2017011002987909

委托人名称、地址

明纬(广州)电子有限公司

广东省广州市天河区东圃镇黄村粤安工业园A栋二楼

生产者(制造商)名称、地址

明纬企业股份有限公司

248 新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司

广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,隔离式, $t_a: 55^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, II类, IP65, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C ,)

见附件。100-240V~50/60Hz

产品标准和技术要求

GB19510.14-2009; GB17625.1-2012; GB/T17743-2007; GB19510.1-200

9

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2017年08月08日 有效期至: 2022年08月08日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002987909

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (GUANGZHOU) ELECTRONICS CO.,LTD
2F,NO.A BUILDING YUEAN INDUSTRIAL PARK DONGPU TOWN TIANHE GUANGZHOU
CHINA

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL ENTERPRISES CO., LTD
No.28,Wuquan 3rd Road, Wugu Dist, New Taipei City 248, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China.

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, optional
Dimmable, Constant Current Mode, Isolating Controlgear, ta:55°C, tc:90°C,
Class II, IP65, Suitable For Direct Mounting On Normally Flammable Material,
thermal protection: 110°C)

See Appendix. 100-240V~50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009;GB17625.1-2012;GB/T17743-2007;GB19510.1-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.08,2017

Valid until: Aug.08,2022

The validity of the certificate is subject to positive result of the regular follow up
inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2017011002987909

纸 号: 1746590

ELGT-150-C1050A	输出 (当输入电压 100-200V~时): Max. 151Vdc, 72-100Vdc, 1.05A (恒流), 配套光源: 105W LED 模块, 输出 (当输入电压 200-240V~时): Max. 151Vdc, 72-143Vdc, 1.05A (恒流), 配套光源: 150.15W LED 模块
ELGT-150-C700A	输出 (当输入电压 100-200V~时): Max. 225Vdc, 107-150Vdc, 0.7A (恒流), 配套光源: 105W LED 模块, 输出 (当输入电压 200-240V~时): Max. 225Vdc, 107-214Vdc, 0.7A (恒流), 配套光源: 149.8W LED 模块

输入: 100-240V~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2017011002990864

委托人名称、地址

明纬(广州)电子有限公司
广东省广州市天河区东圃镇黄村粤安工业园A栋二楼

生产者(制造商)名称、地址

明纬企业股份有限公司
248 新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒流模式,
SELV, $t_a: 55^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, II 类, IP67, 适宜直接安装在普通可燃材
料表面, 定温热保护: 110°C ,)

见附件。100-240V~50/60Hz

产品标准和技术要求

GB19510.14-2009; GB17625.1-2012; GB/T17743-2007; GB19510.1-200
9

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2017 年 08 月 08 日 有效期至: 2022 年 08 月 08 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主 任:



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002990864

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (GUANGZHOU) ELECTRONICS CO.,LTD
2F,NO.A BUILDING YUEAN INDUSTRIAL PARK DONGPU TOWN TIANHE GUANGZHOU
CHINA

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL ENTERPRISES CO., LTD
No.28,Wuquan 3rd Road, Wugu Dist, New Taipei City 248, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China.

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, optional
Dimmable, Constant Current Mode, SELV, ta:55°C, tc:90°C, Class II, IP67,
Suitable For Direct Mounting On Normally Flammable Material, thermal
protection: 110°C)

See Appendix. 100-240V~50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009;GB17625.1-2012;GB/T17743-2007;GB19510.1-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.08,2017

Valid until: Aug.08,2022

The validity of the certificate is subject to positive result of the regular follow up
inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2017011002990864

纸 号: 1746592

产品型号	参数	备注
ELGT-150-C1400	输出 (当输入电压 100-200V ~ 时): Max. 115Vdc, 54-75Vdc, 1.4A (恒流), 配套 光源: 105W LED 模块, 输出 (当输入电压 200-240V ~ 时): Max. 115Vdc, 54-107Vdc, 1.4A (恒流), 配套光源: 149.8W LED 模块	不调光
ELGT-150-C1400B		B 型调光
ELGT-150-C1400D2		D2 型调光
ELGT-150-C1400DA		DA 型调光

输入: 100-240V ~ 50/60Hz

注: 此附录与证书同时使用时有效。



主 任:



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2017011002990868

委托人名称、地址

明纬(广州)电子有限公司

广东省广州市天河区东圃镇黄村粤安工业园A栋二楼

生产者(制造商)名称、地址

明纬企业股份有限公司

248 新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司

广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒流模式, SELV, $t_a: 55^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, II 类, IP65, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C ,)

ELGT-150-C1400A 输出(当输入电压 100-200V~时): Max. 115Vdc, 54-75Vdc, 1.4A, 105W, 输出(当输入电压 200-240V~时): Max. 115Vdc, 54-107Vdc, 1.4A, 149.8W. 输入: 100-240V~ 50/60Hz

产品标准和技术要求

GB19510.14-2009; GB17625.1-2012; GB/T17743-2007; GB19510.1-200

9

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求, 特发此证。

发证日期: 2017 年 08 月 08 日 有效期至: 2022 年 08 月 08 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002990868

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (GUANGZHOU) ELECTRONICS CO.,LTD
2F,NO.A BUILDING YUEAN INDUSTRIAL PARK DONGPU TOWN TIANHE GUANGZHOU
CHINA

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL ENTERPRISES CO., LTD
No.28,Wuquan 3rd Road, Wugu Dist, New Taipei City 248, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China.

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, optional
Dimmable, Constant Current Mode, SELV, $t_a:55^{\circ}\text{C}$, $t_c:90^{\circ}\text{C}$, Class II, IP65,
Suitable For Direct Mounting On Normally Flammable Material, thermal
protection: 110°C)

ELGT-150-C1400A Output (when input voltage is 100-200V~) : Max.115Vdc, 54-75Vd
c, 1.4A, 105W, Output (when input voltage is 200-240V~) : Max.115Vdc, 54-107Vd
c, 1.4A, 149.8W. Input: 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.14-2009;GB17625.1-2012;GB/T17743-2007;GB19510.1-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.08,2017

Valid until: Aug.08,2022

The validity of the certificate is subject to positive result of the regular follow up
inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE