PLANA: Plate 2M Reflex mint

14642.44

Wiring devices / Traditional wiring devices / PLANA / Cover plates



Plate 2M Reflex mint

2-module cover plate, technopolymer, Reflex mint


Product Status

3 - Active


Minimum order quantity

10 NR


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 2

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 2

Number of device inserts vertical: 1

Number of modules horizontal (module system): 2

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Plastic

Material quality: Acrylic glass

Halogen free: Yes

Surface protection: Untreated

Surface finishing: Glossy

Colour: Green

RAL-number (similar): 6019

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 80,00 mm

Height: 80,00 mm

Depth: 9,000 mm

Built-in width: 80,00 mm

Built-in height: 80,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352121881

Qtà	1 NR
Dim	13x8x0.9 [cm]
Weight	17.4 [g]



8007352121898


Qtà	10 NR
Dim	11x9.8x9.1 [cm]
Weight	214.93 [g]



8007352638051

Qtà	540 NR
Dim	59x34.5x32.5 [cm]
Weight	12,360 [g]

You may also be interested in



14603 - Frame 2M without screws 71mm



14602 - Frame 2M +claws 71mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.