PLANA: Univ.MASTER rotary-dimmer 230V white



14136.1

Wiring devices / Traditional wiring devices / PLANA / Devices

Univ.MASTER rotary-dimmer 230V white

Universal-dimmer 230 V~ 50 Hz, phase-cutting, for: 40-300 W incandescent lamps, 40-300 VAelectronic transfomers, 10-200 W CFL lamps, 3-200 W LED lamps and LED phase-cutting electronic transfomers, ON/OFF or built-in or from NO peripheral push buttons control, regulation by rotary potentiometer, MASTER function for 14137, minimum brightness regulation, visible in darkness, white. Not for Isoset enclosures

Product Status

3 - Active

Minimum order quantity

10 NR

Sheets, Manuals, Documentation


- Light multilanguage instructions sheet (949 kb)
- Full multilanguage instructions sheet (934 kb)

Gallery







Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **31. TISI - Thailand**
- **37. Marking - Morocco**
- **92. RoHS UAE**
- **96. Electrotechnical expert (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Domestic switching devices

Class: Dimmer

Operating method: Turn button

Type of load: Universal and LED Retrofit

Applicable with button: Yes

Applicable with movement sensor: No

Applicable with presence indicator: No

Applicable with time switch/timer: No

Applicable with transmission button: No

Applicable with infrared button: No

Mounting method: Flush-mounted

Type of fastening: Click in mounting

Material: Plastic

Material quality: Thermoplastic

Surface protection: Untreated

Surface finishing: Glossy

Colour: White

RAL-number (similar): 9003

Transparent: No

Suitable for degree of protection (IP): IP40

Nominal voltage: 230,00 - 230,01 V

Frequency: 50,00 - 50,01 HZ

Control voltage: 230,00 - 230,01 V

Connection type: Screwed terminal

Device width: 22,30 mm

Device height: 49,00 mm

Device depth: 61,40 mm

Packaging



8007352555136

Qtà	1 NR
Dim	5.2x3.9x6.2 [cm]
Weight	56.4 [g]



8007352555143

Qtà	10 NR
Dim	20.5x11.5x7 [cm]
Weight	627.8 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Condizioni di utilizzo.