PLANA: Plate 6M (2+2+2) 71mm techn.polish-gold

14644.24

Wiring devices / Traditional wiring devices / PLANA / Cover plates

Plate 6M (2+2+2) 71mm techn.polish-gold

6-module cover plate (2+2+2, 71 mm distance between centres), technopolymer, polished gold




Product Status

3 - Active


Minimum order quantity

5 NR


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 6

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 6

Number of device inserts vertical: 1

Number of modules horizontal (module system): 6

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Metallic

Surface finishing: Glossy

Colour: Gold

RAL-number (similar): 1036

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 222,00 mm

Height: 80,00 mm

Depth: 9,000 mm

Built-in width: 222,00 mm

Built-in height: 80,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352084018


Qtà	1 NR
Dim	27x8x0.9 [cm]
Weight	33.8 [g]



8007352084568

Qtà	5 NR
Dim	24.2x10.3x5.7 [cm]
Weight	204.87 [g]

You may also be interested in



14603 - Frame 2M
without screws 71mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.