ARKÉ: Classic plate 2M aluminium lava



19642.16

Wiring devices / Traditional wiring devices / ARKÉ / Cover plates

Classic plate 2M aluminium lava

2-module Classic cover plate, aluminium, lava

Product Status

3 - Active

Minimum order quantity

1 NR

Gallery
















Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**
- **08. ASTA - UK (download)**

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 2

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 2

Number of device inserts vertical: 1

Number of modules horizontal (module system): 2

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Metal

Material quality: Aluminium

Halogen free: Yes

Surface protection: Anodised

Surface finishing: Matt

Colour: Aluminium

RAL-number (similar): 7048

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 90,00 mm

Height: 90,00 mm

Depth: 8,600 mm

Built-in width: 90,00 mm

Built-in height: 90,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352439061

Qtà	1 NR
Dim	9.7x9.7x1.7 [cm]
Weight	36.8 [g]



8007352439078

Qtà	5 NR
Dim	10.2x10x10.5 [cm]
Weight	224.8 [g]

You may also be interested in



19603 - Frame 2M without screws 71mm



19602 - Frame 2M +claws 71mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.