ARKÉ: Classic plate 3M metal brushed inox

19653.08

Wiring devices / Traditional wiring devices / ARKÉ / Cover plates



Classic plate 3M metal brushed inox

3-module Classic cover plate, metal, brushed inox

Product Status

3 - Active

Minimum order quantity

1 NR

Gallery


















Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**
- **50. Product Environm. Profile (download)**

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 3

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 3

Number of device inserts vertical: 1

Number of modules horizontal (module system): 3

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Metal

Material quality: Other

Halogen free: Yes

Surface protection: Metallic

Surface finishing: Matt

Colour: Stainless steel

RAL-number (similar): 7048

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 122,00 mm

Height: 90,00 mm

Depth: 8,600 mm

Built-in width: 122,00 mm

Built-in height: 90,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352445109

Qtà	1 NR
Dim	12.75x9.5x1.62 [cm]
Weight	113.68 [g]



8007352445116

Qtà	5 NR
Dim	13.6x10.2x10.2 [cm]
Weight	615.3 [g]



8007352712515

Qtà	80 NR
Dim	39.5x29.5x23 [cm]
Weight	9,844 [g]

You may also be interested in



19613 - Frame 3M +screws

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.