EIKON: Speaker connector Next

20583.N

Wiring devices / Traditional wiring devices / EIKON / Devices



Speaker connector Next

Spring connector for speaker, Next

Product Status

3 - Active


Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- Sound System technical catlogue - IT (32460 kb)
- Multilanguage instructions sheet (608 kb)


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **96. Electrotechnical expert (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Domestic switching devices

Class: Insert/cover for communication technology

Assembly arrangement: Modular device for domestic switching devices

Utilization: Other

Support ring: No

With dust cover: No

With hinged lid: No

With imprint: Yes

Mounting method: Flush-mounted

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Lacquered

Surface finishing: Matt

Colour: Silver

RAL-number (similar): 9022

Transparent: No

Type of fastening: Engage (snap)

Number of modules (module system): 1

With strain relief: No

Luster terminal: No

Suitable for degree of protection (IP): IP20

Device width: 22,30 mm

Device height: 49,00 mm

Device depth: 29,90 mm

Packaging



8007352400665

Qtà	1 NR
Dim	5.1x4.3x5.3 [cm]
Weight	20.35 [g]



8007352400672

Qtà	10 NR
Dim	26.9x11.6x4.9 [cm]
Weight	270.07 [g]



8007352648302

Qtà	200 NR
Dim	47.5x27x29 [cm]
Weight	5,920 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Condizioni di utilizzo.