PLANA: IR relay-switch 230V white



14181

Wiring devices / Traditional wiring devices / PLANA / Devices

IR relay-switch 230V white

Automatic lighting switch with IR motion sensor, adjustable dusk/dawn sensor threshold and time-delay cycle, NO 6 A 230 V~ relay output, supply voltage 230 V~ 50-60 Hz, white

Product Status

3 - Active

Minimum order quantity

5 NR

Sheets, Manuals, Documentation


- Light Multilanguage instructions sheet (947 kb)
- Full Multilanguage instructions sheet (1103 kb)

Gallery







Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**
- **37. Marking - Morocco**
- **96. Electrotechnical expert (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Domestic switching devices

Class: Electronic insert for domestic switching devices

Model: Other

Assembly arrangement: Modular device for domestic switching devices

Number of modules (module system): 1

Radio-controlled: No

Mounting method: Flush-mounted

Type of fastening: Engage (snap)

Material: Plastic

Material quality: Thermoplastic

Surface protection: Untreated

Surface finishing: Glossy

Colour: White

RAL-number (similar): 9003

Transparent: No

Packaging



8007352328280

Qtà	1 NR
Dim	5.1x4.3x5.3 [cm]
Weight	49 [g]



8007352328297

Qtà	5 NR
Dim	14.4x11.6x6 [cm]
Weight	291.6 [g]



8007352646247

Qtà	60 NR
Dim	36.5x33x13.5 [cm]
Weight	3,818.4 [g]



8007352588035

Qtà	2,160 NR
Dim	120x80x105 [cm]
Weight	149,812 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Condizioni di utilizzo.