Kits: One-family kit 7in video touch plug-in

K40915

ELVOX Door entry system / Stand-alone KITS / Kits / One-family



One-family kit 7in video touch plug-in

″Video door entry kit containing 1 hands-free touch screen 7″″ LCD video entryphone, 1 entrance panel with 1 button and rainproof cover, 1 24 Vdc 1 A supply unit with interchangeable plugs (EU, BS, US, AU)complete with surface mounting fixing brackets″

- The kits are ready to use and do not require any particular programming; maximum distance between the entrance panel and the last monitor: up to 100 m with 1 mm2
- Expandable: up to 3 monitors can be associated with each call push button
- Multiple languages (Italian, English, French, German, Spanish, Portuguese, Greek, Dutch)
- Intercom function between indoor stations (of the same family)
- Ringtone volume and volume for communicating, brightness, colour and contrast are adjustable. Possibility of choosing between 6 melodies available for selection. ‘Mute’ function

Product Status

2 - Will be discontinued

Minimum order quantity

1 NR


Sheets, Manuals, Documentation


- Installer manual (2557 kb)

Gallery









Certifications

- **00. CE Marking - EU**
- **19. NOM - Mexico**
- **35. RCM - Australia**
- **37. Marking - Morocco**
- **99. WEEE Directive (download)**

Technical data

Class group: Communication technique (components and systems)

Class: Door station set

With video: Yes

Number of indoor stations: 1

Number of outdoor stations: 1

Installation technique: 2-wire

Mounting method indoor station: Surface mounted

Colour indoor station: White

Mounting method outdoor station: Surface mounted

Material outdoor station: Aluminium

Colour outdoor station: Grey

Expandable to max. number of indoor stations: 2

Expandable to max. number of outdoor stations: 2

Picture system: PAL

Can be connected to smartphone: No

Internal communication: Yes

Hands free: Yes

With day/night function: No

Zoom, pan/tilt function: No

With memory function: No

Screen diagonal: 177,80 mm

Screen diagonal (inch): 70

Manual adjustable camera: No

Hearing aid compatible: Yes

Packaging

8013406306272

Qtà	1 NR
Dim	26.5x10.8x20 [cm]
Weight	1,351 [g]

8013406307262

Qtà	4 NR
Dim	45x29x24 [cm]
Weight	5,980 [g]

You may also be interested in



46CAM.136B.8 - Bullet IR AHD cam1080p 3,6mm lens CVBS



K40917 - 7in video touch internal unit plug-in



K40912 - 7in video internal unit plug-in supply



K40932 - Add.monitor 7in DIN-supply



K40937 - 7in video touch internal unit DIN supply



K40947 - 7in TS Wi-Fi monitor multiplug



K40957 - 7in TS Wi-Fi monitor DIN supply un.



40921.P1 - Entrance panel for 1-fam. 7in video kit

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Condizioni di utilizzo.