ARKÉ: IR motion detector Metal

19485.M

Smart systems&products / By-me Plus / ARKÉ / Devices

IR motion detector Metal

Passive infrared presence detector, grey - 2 modules



Product Status

3 - Active


Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- Light Multilanguage instructions sheet (712 kb)
- Full Multilanguage instructions sheet (1256 kb)
- By-me burglar alam-fw Compatibility (99 kb)


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**
- **46. UK PSTI compliance (download)**
- **96. Electrotechnical expert (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Installation bus systems

Class: Movement sensor for bus system

Bus system KNX: No

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: No

Bus system LON: No

Bus system Powernet: No

Other bus systems: Other

Radio frequency bidirectional: No

Model: Movement sensor

Mounting method: Flush-mounted

Material: Plastic

Material quality: Thermoplastic

Surface protection: Lacquered

Surface finishing: Matt

Colour: Aluminium

RAL-number (similar): 9007

Transparent: No

With bus connection: Yes

Substation input: No

Creep-under protection: No

Operation mode switch: No

Animal zone: No

Staircase light controller: No

Response value luminosity adjustable: Yes

Teach-function for response value luminosity: No

Switch-off delay self-learning: No

DALI-2 certified: No

Optimum mounting height: 1,20 m

Max. reach sideways: 0,00 m

Max. reach frontally: 10 m

Diameter reach on floor: 0,00 m

Detection angle vertical: 0 - 36

Detection angle horizontal: 0,00 - 112,00

Number of channels: 1

Switching power: 0 W

Min. switch-on time: 10 s

Max. duty cycle: 250 min

Width: 44,70 mm

Height: 49,00 mm

Depth: 43,50 mm

Built-in width: 44,70 mm

Built-in depth: 26,20 mm

Built-in length: 49,00 mm

Min. depth of built-in installation box: 30,00 mm

Packaging



8007352597297

Qtà	1 NR
Dim	11.2x9.6x9.8 [cm]
Weight	109.4 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Condizioni di utilizzo.