ARKÉ: Classic plate 2M technopolymer matt gold

19642.78

Wiring devices / Traditional wiring devices / ARKÉ / Cover plates



Classic plate 2M technopolymer matt gold

2-module Classic cover plate, technopolymer, matt gold

Product Status

3 - Active

Minimum order quantity

10 NR

Gallery
















Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**
- **08. ASTA - UK (download)**

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 2

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 2

Number of device inserts vertical: 1

Number of modules horizontal (module system): 2

Number of modules vertical (module system): 1

With mounting grid: Yes

Suitable for subfloor installation duct box: Yes

Suitable for wall duct: Yes

Suitable for built-in installation: Yes

Label space/information surface: Yes

Material: Plastic

Material quality: Thermoplastic

Halogen free: Yes

Surface protection: Lacquered

Surface finishing: Matt

Colour: Gold

RAL-number (similar): 1036

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Type of fastening: Clamp mounting

Width: 90,00 mm

Height: 90,00 mm

Depth: 8,600 mm

Built-in width: 90,00 mm

Built-in height: 90,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352445680

Qtà	1 NR
Dim	9x9x0.9 [cm]
Weight	16.4 [g]



8007352445697

Qtà	10 NR
Dim	11.4x9.8x10.4 [cm]
Weight	205 [g]

You may also be interested in



19603 - Frame 2M without screws 71mm



19602 - Frame 2M +claws 71mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.