# PLANA: Plate 4M (2+2) 57mm techn.polished gold

**14645.24**

Wiring devices / Traditional wiring devices / PLANA / Cover plates



**Plate 4M (2+2) 57mm techn.polished gold**

4-module cover plate (2+2, 57 mm distance between centres), technopolymer, polished gold


**Product Status**

2 - Will be discontinued


**Minimum order quantity**

5 NR


## Drawings




Space view




Backside view



3D View

## Certifications

- **00. CE Marking - EU**
- **01. IMQ - Italy (download)**

## Technical data

**Class group**: Domestic switching devices

**Class**: Cover frame for domestic switching devices

**Number of units**: 4

**Mounting direction**: Horizontal and vertical

**Number of device inserts horizontal**: 4

**Number of device inserts vertical**: 1

**Number of modules horizontal (module system)**: 4

**Number of modules vertical (module system)**: 1

**With mounting grid**: Yes

**Suitable for subfloor installation duct box**: Yes

**Suitable for wall duct**: Yes

**Suitable for built-in installation**: Yes

**Label space/information surface**: Yes

**Material**: Plastic

**Material quality**: Thermoplastic

**Halogen free**: Yes

**Surface protection**: Metallic

**Surface finishing**: Glossy

**Colour**: Gold

**RAL-number (similar)**: 1036

**Transparent**: No

**With hinged lid**: No

**Degree of protection (IP)**: IP00

**Type of fastening**: Clamp mounting

**Width**: 137,00 mm

**Height**: 80,00 mm

**Depth**: 9,000 mm

**Built-in width**: 137,00 mm

**Built-in height**: 80,00 mm

**Diameter bore hole (opening)**: 0,00 mm

## Packaging




8007352113633


| | |
|---|---|
| **Qtà** | 1 NR |
| **Dim** | 18.5x8x0.9 [cm] |
| **Weight** | 21.6 [g] |




8007352113640

| | |
|---|---|
| **Qtà** | 5 NR |
| **Dim** | 17.2x13.1x6 [cm] |
| **Weight** | 137.8 [g] |

## You may also be interested in



14605 - Frame 2M wihtout screws 57mm

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.