



Test Report: HVGC-100-350

100W Single Output LED Power Supply

■ DESIGN VERIFY TEST

Output Function Test

Input Function Test

Protection Function Test

Component Stress Test

■ SAFETY & E.M.C. TEST

Safety Test

E.M.C. Test

■ RELIABILITY TEST

ENVIRONMENT TEST

DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	RIPPLE & NOISE	V1 : 1 Vp-p (Max)	I/P : 347VAC O/P : FULL LOAD Ta : 25°C	V1 : 308 mVp-p (Max)
2	CURRENT ACCURACY	± 5%	I/P : 347VAC O/P : CV MODE : 29V~284V Ta : 25°C	-0.6%~ 0.6%
3	OUTPUT VOLTAGE RANGE	29V~285V	I/P : 480 VAC I/P : 347 VAC O/P : MIN LOAD Ta : 25°C	O/P=29V : 0.352A O/P=284V : 0.352A
4	OUTPUT CURRENT ADJUST RANGE	CH1 : 210mA~ 350mA	I/P : 480 VAC I/P : 347 VAC O/P : CV MODE : 284V Ta : 25°C	0.176 A~ 0.383 A/ 480 VAC 0.176 A~ 0.381 A/ 347 VAC
5	SET UP TIME	480 VAC : 500 ms (Max) 347VAC : 500 ms(Max) 230VAC : 500 ms(Max)	I/P : 480 VAC I/P : 347 VAC I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	480 VAC/ 312 ms 347VAC/ 352 ms 230 VAC/ 360 ms
6	RISE TIME	480 VAC : 80 ms (Max) 347VAC : 80 ms (Max) 230VAC : 80 ms(Max)	I/P : 480 VAC I/P : 347 VAC I/P : 230 VAC O/P : FULL LOAD Ta : 25°C	480 VAC/ 45 ms 347VAC/ 56 ms 230VAC/ 57 ms
7	HOLD UP TIME	480 VAC : 30 ms (TYP) 347VAC : 30 ms (TYP)	I/P : 480 VAC I/P : 347 VAC O/P : FULL LOAD Ta : 25°C	480 VAC/ 40 ms 347VAC/ 36.2 ms
8	OVER/UNDERSHOOT TEST	< ±5%	I/P : 347 VAC O/P : FULL LOAD Ta : 25°C	TEST : <5 %
9	DYNAMIC LOAD	V1 : 28.5 Vp-p	I/P : 347 VAC (1).O/P : FULL /Min LOAD 90%DUTY/ 1KHZ (2).O/P : FULL /Min LOAD 50%DUTY/ 120HZ Ta : 25°C	(1)768 mVp-p (2)6.76 Vp-p

10

DIMMER TEST

(B Type only)

SPEC:

※Built-in 3 in 1 dimming function, IP67 rated. Output constant current level can be adjusted through output resistance or

cable by connecting a

0 ~ 10Vdc or 10V PWM signal between DIM+ and DIM-.

※Please DO NOT connect "DIM-" to "-V".

※Reference resistance value for output current adjustment (Typical)

Resistance value	10K	20K	30K	40K	50K	60K	70K	80K	90K	100K
Output current	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%

*1 ~ 10V dimming function for output current adjustment (Typical)

Dimming value	1V	2V	3V	4V	5V	6V	7V	8V	9V	10V
Output current	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%

*10V PWM signal for output current adjustment (Typical)

Duty value	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
Output current	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%

TEST RESULT: I/P : 230 VAC ;Ta : 25℃

1	Resistance value	SHORT	10K	20K	30K	40K	50K	60K	70K	80K	90K	100K	OPEN
	Output current	0.000A	0.034A	0.068A	0.103A	0.139A	0.173A	0.209A	0.241A	0.277A	0.313A	0.348A	0.3632A
	%	0.00%	9.71%	19.43%	29.43%	39.71%	49.43%	59.71%	68.86%	79.14%	89.43%	99.43%	103.77%
2	Dimming value	SHORT	1V	2V	3V	4V	5V	6V	7V	8V	9V	10V	OPEN
	Output current	0.000A	0.035A	0.070A	0.104A	0.139A	0.175A	0.210A	0.245A	0.281A	0.316A	0.352A	0.3632A
	%	0.00%	10.00%	20.00%	29.71%	39.71%	50.00%	60.00%	70.00%	80.29%	90.29%	100.57%	103.77%
3	Duty value	SHORT	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%	OPEN
	Output current	0.000A	0.036A	0.072A	0.107A	0.142A	0.178A	0.212A	0.247A	0.283A	0.318A	0.353A	0.3632A
	%	0.00%	10.29%	20.57%	30.57%	40.57%	50.86%	60.57%	70.57%	80.86%	90.86%	100.86%	103.77%

INPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	INPUT VOLTAGE RANGE	180VAC~528 VAC	I/P : TESTING O/P : FULL LOAD Ta : 25°C	159V~528V TEST : OK
			I/P : LOW-LINE-3V=177V HIGH-LINE+3V=531 V O/P : FULL/MIN LOAD ON : 30 Sec . OFF : 30 Sec 10MIN (AC POWER ON/OFF NO DAMAGE)	
2	INPUT FREQUENCY RANGE	47HZ ~63 HZ NO DAMAGE	I/P : 180VAC ~ 528 VAC O/P : FULL~MIN LOAD Ta : 25°C	TEST : OK
3	POWER FACTOR	0.98 / 230 VAC(TYP) 0.98 / 277VAC(TYP) 0.97 /347 VAC(TYP) 0.93 / 480 VAC(TYP)	I/P : 230VAC I/P : 277VAC I/P : 347VAC I/P : 480VAC O/P : FULL LOAD Ta : 25°C	PF= 0.994 / 230 VAC PF= 0.994 / 277 VAC PF= 0.981 / 347VAC PF= 0.949 / 480VAC
4	EFFICIENCY	91 % (TYP)	I/P : 347 VAC O/P : FULL LOAD Ta : 25°C	92.12 %
5	INPUT CURRENT	347V/ 0.38 A (TYP) 480V/ 0.28 A (TYP)	I/P : 347 VAC I/P : 480 VAC O/P : FULL LOAD Ta : 25°C	I= 0.32 A/ 347 VAC I= 0.26 A/ 480 VAC
6	INRUSH CURRENT	480V/ 25 A (TYP) COLD START	I/P : 480VAC O/P : FULL LOAD Ta : 25°C	I= 20 A/ 480VAC
7	LEAKAGE CURRENT	< 0.75 mA / 480 VAC	I/P : 480 VAC O/P : Min LOAD Ta : 25°C	L-FG : 0.32 mA N-FG : 0.30 mA
8	TOTAL HARMONIC DISTORTION	Total harmonic distortion will be lower than 20% when output loading is 50% or higher at 230VAC / 277VAC / 347VAC	I/P : 230VAC I/P : 277VAC I/P : 347VAC O/P : 50% LOAD Ta : 25°C	THD : 11.7 THD : 13.6 THD : 16.9
		Total harmonic distortion will be lower than 20% when output loading is 75% or higher at 480VAC	I/P : 480VAC O/P : 75% LOAD Ta : 25°C	THD : 15.88

PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	OVER VOLTAGE PROTECTION	CH1 : 300 V ~ 320 V	I/P : 480 VAC I/P : 347 VAC O/P : MIN LOAD Ta : 25°C	309.63 V/ 480VAC 308.75 V/ 347 VAC Shut down o/p voltage with auto-recovery or re-power on to recovery
2	OVER TEMPERATURE PROTECTION	SPEC : NO DAMAGE	I/P : 347 VAC O/P : FULL LOAD	O.T.P. Active Shut down o/p voltage, recovers automatically after temperature goes down
3	SHORT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P : 528 VAC O/P : FULL LOAD Ta : 25°C	NO DAMAGE Constant current limiting, recovers automatically after fault condition is removed

COMPONENT STRESS TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	Power Transistor (D to S) or (C to E) Peak Voltage	Q3 Rated : 9A/950V	I/P : High-Line +3V = 531 V O/P : (1)Full Load Turn on (2) Output Short (3)Full load continue Ta : 25°C	(1) 531 V (2) 354 V (3) 530 V
2	Diode Peak Voltage	D100 Rated : 3A/1KV	I/P : High-Line +3V = 531 V O/P : (1)Full Load Turn on (2)Output Short (3)Full load continue Ta : 25°C	(1) 908 V (2) 803 V (3) V
3	Input Capacitor Voltage	C5 Rated : 56u/400V	I/P : High-Line +3V = 531 V O/P : (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Change Ta : 25°C	(1) 414 V (2) 410 V (3) 414 V
4	Control IC Voltage Test	U1 Rated : 10.3V~22.5V	I/P : High-Line +3V = 531 V O/P : (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Change Ta : 25°C	(1) 17.221 V (2) 17.043 V (3) 17.043 V
5	Power Transistor (D to S) or (C to E) Peak Voltage	Q1 Rated : 9A/950V	I/P : High-Line +3V = 531 V O/P : (1)Full Load Turn on (2) Output Short (3)Full load continue Ta : 25°C	(1) 864 V (2) 791 V (3) 802 V

■ SAFETY & E.M.C. TEST

SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	WITHSTAND VOLTAGE	I/P-O/P : 3.75 KVAC/min I/P-FG : 2 KVAC/min O/P-FG : 1.5 KVAC/min	I/P-O/P : 4 KVAC/min I/P-FG : 2.4 KVAC/min O/P-FG : 1.8 KVAC/min Ta : 25°C	I/P-O/P : 3.29 mA I/P-FG : 2.159 mA O/P-FG : 3.57 mA NO DAMAGE
2	ISOLATION RESISTANCE	I/P-O/P : 500VDC>100MΩ I/P-FG : 500VDC>100MΩ O/P-FG : 500VDC>100MΩ	I/P-O/P : 500 VDC I/P-FG : 500 VDC O/P-FG : 500 VDC Ta : 25°C /70%RH	I/P-O/P : 10.8 GΩ I/P-FG : 10.48 GΩ O/P-FG : 17 GΩ NO DAMAGE
3	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < 100 mΩ	40 A / 2min Ta : 25°C / 70%RH	13 mΩ

E.M.C TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	HARMONIC	EN61000-3-2 CLASS A CLASS C	I/P:230/347VAC/60HZ O/P:100/75/50/25%ELECTRONIC LOAD O/P:100% LED LOAD Ta:25°C	PASS
2	CONDUCTION	EN55015 CLASS B	I/P: 230/347VAC (50HZ) O/P:FULL/50% LOAD Ta:25°C	PASS Test by certified Lab
3	RADIATION	EN55015 CLASS B	I/P: 230/347 VAC (50HZ) O/P:FULL LOAD Ta:25°C	PASS Test by certified Lab
4	E.S.D	EN61000-4-2 LIGHT INDUSTRY AIR:8KV / Contact:4KV	I/P:230/347 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A
5	E.F.T	EN61000-4-4 LIGHT INDUSTRY INPUT : 1KV	I/P: 230/347 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A
6	SURGE	IEC61000-4-5 INDUSTRY L-N :2KV L,N-PE:4KV	I/P: 230/347 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A

RELIABILITY TEST

ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT																																																																								
1	TEMPERATURE RISE TEST	MODEL : HVGC-100-700 1. ROOM AMBIENT BURN-IN : 2.5 HRS I/P : 347VAC O/P : FULL LOAD Ta=32 °C 2. HIGH AMBIENT BURN-IN : 4 HRS I/P : 347VAC O/P : FULL LOAD Ta= 63 °C <table><tr><th>NO</th><th>Position</th><th>ROOM AMBIENT Ta= 32 °C</th><th>HIGH AMBIENT Ta= 63 °C</th></tr><tr><td>1</td><td>LF2</td><td>51.1°C</td><td>75.9°C</td></tr><tr><td>2</td><td>BD1</td><td>51.8°C</td><td>76.4°C</td></tr><tr><td>3</td><td>C46</td><td>51.6°C</td><td>76.8°C</td></tr><tr><td>4</td><td>L1</td><td>52.8°C</td><td>77.6°C</td></tr><tr><td>5</td><td>D2</td><td>58.3°C</td><td>84.7°C</td></tr><tr><td>6</td><td>C5</td><td>55.7°C</td><td>80.3°C</td></tr><tr><td>7</td><td>Q3</td><td>55.0°C</td><td>80.5°C</td></tr><tr><td>8</td><td>T3</td><td>56.1°C</td><td>81.5°C</td></tr><tr><td>9</td><td>T1</td><td>62.2°C</td><td>86.4°C</td></tr><tr><td>10</td><td>C203</td><td>59.2°C</td><td>83.5°C</td></tr><tr><td>11</td><td>RTH2</td><td>52.4°C</td><td>77.6°C</td></tr><tr><td>12</td><td>C85</td><td>52.6°C</td><td>77.4°C</td></tr><tr><td>13</td><td>U2</td><td>52.3°C</td><td>77.0°C</td></tr><tr><td>14</td><td>C103</td><td>54.0°C</td><td>78.6°C</td></tr><tr><td>15</td><td>C106</td><td>50.0°C</td><td>75.5°C</td></tr><tr><td>16</td><td>LF100</td><td>51.3°C</td><td>76.4°C</td></tr><tr><td>17</td><td>D100</td><td>59.2°C</td><td>83.9°C</td></tr></table>			NO	Position	ROOM AMBIENT Ta= 32 °C	HIGH AMBIENT Ta= 63 °C	1	LF2	51.1°C	75.9°C	2	BD1	51.8°C	76.4°C	3	C46	51.6°C	76.8°C	4	L1	52.8°C	77.6°C	5	D2	58.3°C	84.7°C	6	C5	55.7°C	80.3°C	7	Q3	55.0°C	80.5°C	8	T3	56.1°C	81.5°C	9	T1	62.2°C	86.4°C	10	C203	59.2°C	83.5°C	11	RTH2	52.4°C	77.6°C	12	C85	52.6°C	77.4°C	13	U2	52.3°C	77.0°C	14	C103	54.0°C	78.6°C	15	C106	50.0°C	75.5°C	16	LF100	51.3°C	76.4°C	17	D100	59.2°C	83.9°C
NO	Position	ROOM AMBIENT Ta= 32 °C	HIGH AMBIENT Ta= 63 °C																																																																									
1	LF2	51.1°C	75.9°C																																																																									
2	BD1	51.8°C	76.4°C																																																																									
3	C46	51.6°C	76.8°C																																																																									
4	L1	52.8°C	77.6°C																																																																									
5	D2	58.3°C	84.7°C																																																																									
6	C5	55.7°C	80.3°C																																																																									
7	Q3	55.0°C	80.5°C																																																																									
8	T3	56.1°C	81.5°C																																																																									
9	T1	62.2°C	86.4°C																																																																									
10	C203	59.2°C	83.5°C																																																																									
11	RTH2	52.4°C	77.6°C																																																																									
12	C85	52.6°C	77.4°C																																																																									
13	U2	52.3°C	77.0°C																																																																									
14	C103	54.0°C	78.6°C																																																																									
15	C106	50.0°C	75.5°C																																																																									
16	LF100	51.3°C	76.4°C																																																																									
17	D100	59.2°C	83.9°C																																																																									
2	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOUR	I/P : 528VAC/180VAC O/P : 100 % LOAD Ta= -40 °C	TEST : OK																																																																								
3	HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST	AFTER 12 HOURS IN CHAMBER ON CONTROL 60°C NO DAMAGE	I/P : 531 VAC O/P : FULL LOAD Ta= 60 °C HUMIDITY= 95 %R.H	TEST : OK																																																																								
4	TEMPERATURE COEFFICIENT	± 0.03%(0~50°C)	I/P : 347 VAC O/P : FULL LOAD	± 0.02 %(0~50°C)																																																																								
5	STORAGE TEMPERATURE TEST	1. Thermal shock Temperature : -45°C~ +90°C 2. Temperature change rate : 25°C / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle : 5 CYCLE 5. Input/Output condition : STATIC		OK																																																																								
6	THERMAL SHOCK TEST	1. Thermal shock Temperature : -45°C~ +65°C 2. Temperature change rate : 25°C / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle : 10 CYCLE 5. Input/Output condition : 347VAC/Full Load AC ON/OFF TEST turn on 58sec : turn off 2sec		OK																																																																								

7	VIBRATION TEST	1 Carton & 1 Set (1) Waveform : Sine Wave (2) Frequency : 10~500Hz (3) Sweep Time : 12min/sweep cycle (4) Acceleration : 5G (5) Test Time : 72min in each axis (X.Y.Z) (6) Ta : 25℃	TEST : OK
8	CAPACITOR LIFE CYCLE	HVGC-100-700:SUPPOSE C103 IS THE MOST CRITICAL COMPONENT (1) I/P : 347VAC O/P : FULL LOAD Ta= 25 °C LIFE TIME (2) I/P : 347VAC O/P : FULL LOAD Ta= 60 °C LIFE TIME (3) I/P : 347VAC O/P : 75% LOAD Ta= 60 °C LIFE TIME (4) I/P : 347VAC O/P : 50% LOAD Ta= 60 °C LIFE TIME	(1) 591189HRS (2) 83182HRS (3) 90291HRS (4) 105994HRS
9	MTBF	MIL-HDBK-217F NOTICES2 PARTS COUNT TOTAL FAILURE RATE : 186.1KHRS	
10	DMTBF/Accelerated Life Test	Demonstration Mean Time Between Failure (Expected Life): Above 50,000 hours @ Tcase 70℃	

SAMPLE	TESTER	REVIEW	APPROVAL
PRODUCT SAMPLE	DANIEL GAO	SANFORD SU	VINCENT TSENG

12.10.30 A50-F031