



中国国家强制性产品认证证书

证书编号: 2017011002950237

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒压/恒流模式,安全特低电压,tc:90°C, I类, IP67, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件。100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2019年08月16日 有效期至: 2022年04月05日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2017年04月05日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002950237

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Current Mode, SELV, tc:90°C, Class I, IP67, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.16,2019

Valid until: Apr.05,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.05,2017

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2017011002950237

纸 号: 2351539

序号	产品型号	参数	备注
1	HLG-480H-24	输出: 24Vdc (恒压), 20A (恒流), 配套光源: 480W LED 模块	—
2	HLG-480H-30	输出: 30Vdc (恒压), 16A (恒流), 配套光源: 480W LED 模块	—
3	HLG-480H-36	输出: 36Vdc (恒压), 13.3A (恒流), 配套光源: 478.8W LED 模块	—
4	HLG-480H-42	输出: 42Vdc (恒压), 11.4A (恒流), 配套光源: 478.8W LED 模块	—
5	HLG-480H-48	输出: 48Vdc (恒压), 10A (恒流), 配套光源: 480W LED 模块	—
6	HLG-480H-54	输出: 54Vdc (恒压), 8.9A (恒流), 配套光源: 480.6W LED 模块	—
输入: 100-240V~, 50/60Hz, ta: 40℃ (输入 100-200V~时), ta: 50℃ (输入 200-240V~时), tc: 90℃, I 类, IP67, SELV,  ,  , 			

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2017011002963718

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,不可调光,恒压/恒流模式,安全特低电压,tc:90°C,I类,IP65,适宜直接安装在普通可燃材料表面,定温热保护:110°C)

见附件。100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

上述产品符合强制性产品认证实施规则CNCA-C10-01:2014的要求,特发此证。

发证日期:2019年08月16日 有效期至:2022年05月18日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期:2017年05月18日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002963718

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Non-dimmable, Constant Voltage/Current Mode, SELV, tc:90°C, Class I, IP65, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.16,2019

Valid until: May.18,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.18,2017

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 2 页

证书编号: 2017011002963718

纸 号: 2351542

序号	产品型号	参数	备注
1	HLG-480H-24A	输出: 24Vdc (恒压), 20A (恒流), 配套光源: 480W LED 模块	—
2	HLG-480H-30A	输出: 30Vdc (恒压), 16A (恒流), 配套光源: 480W LED 模块	—
3	HLG-480H-36A	输出: 36Vdc (恒压), 13.3A (恒流), 配套光源: 478.8W LED 模块	—
4	HLG-480H-42A	输出: 42Vdc (恒压), 11.4A (恒流), 配套光源: 478.8W LED 模块	—
5	HLG-480H-48A	输出: 48Vdc (恒压), 10A (恒流), 配套光源: 480W LED 模块	—
6	HLG-480H-54A	输出: 54Vdc (恒压), 8.9A (恒流), 配套光源: 480.6W LED 模块	—
7	HLGP-480H-24A	输出: 24Vdc (恒压), 20A (恒流), 配套光源: 480W LED 模块	—
8	HLGP-480H-30A	输出: 30Vdc (恒压), 16A (恒流), 配套光源: 480W LED 模块	—
9	HLGP-480H-36A	输出: 36Vdc (恒压), 13.3A (恒流),	—

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 2 页 共 2 页

证书编号: 2017011002963718

纸 号: 2351542

		配套光源: 478.8W LED 模块	
10	HLGP-480H-42A	输出: 42Vdc (恒压), 11.4A (恒流), 配套光源: 478.8W LED 模块	—
11	HLGP-480H-48A	输出: 48Vdc (恒压), 10A (恒流), 配 套光源: 480W LED 模块	—
12	HLGP-480H-54A	输出: 54Vdc (恒压), 8.9A (恒流), 配 套光源: 480.6W LED 模块	—
输入: 100-240V~, 50/60Hz, ta: 40°C (输入 100-200V~时) ta: 50°C (输入 200-240V~时), tc: 90°C, I 类, IP65, SELV,  ,  , 			

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2017011002963719

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置, 外接电阻调光, 独立式, 恒流模式, 安全特低电压, $t_c: 90^{\circ}\text{C}$, I类, IP65, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件。100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求, 特发此证。

发证日期: 2019年08月16日 有效期至: 2022年05月18日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2017年05月18日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002963719

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Dimmable, Independent, Constant Current Mode, SELV, tc:90°C, Class I, IP65, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Aug.16,2019

Valid until: May.18,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.18,2017

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 2 页

证书编号: 2017011002963719

纸 号: 2351543

序号	产品型号	参数
1	HLG-480H-24AB	输出: Max. 24Vdc, 20A(恒流), 配套光源: 480W LED 模块
2	HLGP-480H-24AB	输出: Max. 24Vdc, 20A(恒流), 配套光源: 480W LED 模块
3	HLG-480H-30AB	输出: Max. 30Vdc, 16A(恒流), 配套光源: 480W LED 模块
4	HLGP-480H-30AB	输出: Max. 30Vdc, 16A(恒流), 配套光源: 480W LED 模块
5	HLG-480H-36AB	输出: Max. 36Vdc, 13.3A(恒流), 配套光源: 478.8W LED 模块
6	HLGP-480H-36AB	输出: Max. 36Vdc, 13.3A(恒流), 配套光源: 478.8W LED 模块
7	HLG-480H-42AB	输出: Max. 42Vdc, 11.4A(恒流), 配套光源: 478.8W LED 模块
8	HLGP-480H-42AB	输出: Max. 42Vdc, 11.4A(恒流), 配套光源: 478.8W LED 模块
9	HLG-480H-48AB	输出: Max. 48Vdc, 10A(恒流), 配套光源: 480W LED 模块
10	HLGP-480H-48AB	输出: Max. 48Vdc, 10A(恒流), 配套光源: 480W LED 模块
11	HLG-480H-54AB	输出: Max. 54Vdc, 8.9A(恒流), 配套光源: 480.6W LED 模块
12	HLGP-480H-54AB	输出: Max. 54Vdc, 8.9A(恒流), 配套光源: 480.6W LED 模块

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 2 页 共 2 页

证书编号: 2017011002963719

纸 号: 2351543

	LED 模块
输入: 100-240V~, 50/60Hz, ta: 40°C (输入 100-200V~时) ta: 50°C (输入 200-240V~时), tc: 90°C, I 类, IP65, SELV,  ,  ,  , 调光方式: 外接电阻调光	

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心